ANNUAL INDEX

VOLUME 11
1976
AUTHORS

A

Abdullah, A. K. See S. Y. K. Yousufzai
Achaya, K. T. See A. Rajiah
Ackman, R. G. See P. Mayzaud
—— See M. Paradis
—— See J. C. Pascal
Adachi, Susumu See Akira Yamamoto
Adam, A., J. Van Cantfort, and J. Gielen. Kinetics of absorption, equilibation (or distribution), and excretion of orally and intraperitoneally administered cholestrol in the rat, 610
Adamson, Arthur W. See Vida Slawson
Adler, John H. and G. W. Patterson. Metabolism of 2,4-^{3}H-14α-methyl-5α-ergost-8-enol and 2,4-^{3}H-5α-ergosta-8,14-dienol in *Ochromonas malhamensis*, 634
Akhtar, M. Waheed. See J. A. Blain
Albers, John J. See G. Russell Warnick
Amic, J. See J. C. Montet
Anderson, Helen L. See Robert L. Wixom
Anderson, L. E. See H. M. Jenkin
—— See E. McMeans
—— See T. K. Yang
Aono, Shunji. See Akihiko Nagata
Apon, J. M. B. See N. Nicolaides
Arbogast, L. See G. H. Rothblat
Ayaz, K. Lund. See A. Saari Csallany

B

Baker, Nome, Daniel Morris, and Christy Sandborg. Short communication re blood sampling techniques for studying rapidly turning over metabolic fuels in mice, 818
Barakat, Hisham A., G. Lynis Dohm, Patricia Loesche, Edward B. Tapscott, and Carlton Smith. Lipid content and fatty acid composition of heart and muscle of the BIO 82.62 cardiomyopathic hamster, 747
Bartley, J. C. Modulation by ketone bodies of the rate of fatty acid synthesis in mammary gland slices from lactating rats, 774
Barve, J. A. See R. Kleiman
Beare-Rogers, J. L. and E. Gordon. Myocardial lipids and nucleotides of rats fed olive oil or rapeseed oil, 287
Behzaden, Shamideh. See William R. Nes
Bell, Frank P. Inhibition of hepatic sterol and squalene biosynthesis in rats fed di-2-ethylhexyl phthalate, 769
—— and Darius J. Nazir. Effect of dietary di-2-ethylhexyl phthalate on lipid biosynthesis in selected tissues from the rat, in vitro, 216
Bergad, P. Lam. See G. T. Vatassery
Berry, J. F. See G. T. Vatassery
Bhatnagar, M. K. See J. S. McCutcheon
Bitman, Joel, Joan Weyant, D. L. Wood, and T. R. Wrenn. Vitamin E, cholesterol, and lipids during atherogenesis in rabbits, 449
Blain, J. A., J. D. E. Patterson, C. E. Shaw, and M. Waheed Akhtar. Study of bound phospholipase activities of fungal mycelia using an organic solvent system, 553
Blair, E. See William A. Pryor
Blomberg, Jonas and Lars-Erik Lindholm. Variations in lipid composition and sound velocity in melon from the North Atlantic pilot whale, *Globicephala melaena melaena*, 153
Blomquist, Gary L. See Larry L. Jackson
Boere, W. A. M. See A. Montfoort
Bohannon, M. B. and R. Kleiman. Short communication re γ-linolenic acid in *Acer* seed oils, 157
—— See R. Kleiman
Boquillon, Micheline. Effect of acute ethanol ingestion on fat absorption, 848
Brazier, J. B. See T. T. Ishikawa
Brenner, Rodolfo R. See Irma N. T. de Gómez Dumm
—— See Julia E. A. De Moreno
—— See Dora C. Miceli
Briggs, Robert G. and Joseph L. Glenn. Lipid accumulation in cells derived from porcine aorta and grown under anaerobic conditions, 791
Brockerhoff, H., P. C. Schmidt, J. W. Fong, and L. J. Tirri. Letter to the editor re introduction of labeled fatty acid in position 1 of phosphoglycerides, 421
Brotherus, Jaakko. See Kauko Kahma
Brunetti, Marina. See Alberto Gaiti
Buch, David. See John G. Coniglio
Budowski, P. See D. Sklan

C

Capella, P. See C. Paoletti
Catsoulacos, Demokritos P. See Jon J. Kabara
Chatterjee, Subroto and Peter O. Kwiterovich. Glycosphingolipids of human plasma lipoproteins, 462
Christian, J. C. See K. W. Kang
Cighetti, G. See M. Galli Kienle
Clarke, S. D., D. R. Romsos, and G. A. Leveille. Specific inhibition of hepatic fatty acid synthesis exerted by dietary linoleate and linolenate in essential fatty acid adequate rats, 485
Cohen, Bertram I. See Gabriela Nicolau
Coniglio, John G., David Buch and William M. Grogan, Jr. Effect of eciosa-5,8,11,14-tetraynoic acid on fatty acid composition of selected organs in the rat, 143
Cook, L. J., T. W. Scott, S. C. Mills, A. C. Fogerty, and A. R. Johnson. Effects of protected cyclopropene fatty acids on the composition of ruminant milk fat, 705
—— See S. C. Mills
—— See P. J. Nestel
Corey, L. A. See K. W. Kang
Cornatzer, W. E. See Eric O. Uthus
Corner, A. H. See H. W. Hulan
Cossins, A. R. Changes in muscle lipid composition and resistance adaptation to temperature in the freshwater crayfish, *Austropotamobius pallipes*, 307
Cox, R. E., J. R. Maxwell and R. N. Myers. Monocarboxylic acids from oxidation of acyclic isoprenoid alkanes by *Mycobacterium fortuitum*, 72
Csallany, A. Saari and K. Lund Ayaz. Quantitative determination of organic solvent soluble lipofuscin pigments in tissues, 412
Csengeri, Istvan. See Tibor Farkas

D

Danon, Abraham. See Carlos Soler-Argilaga
de Alaniz, María J. T. See Irma N. T. de Gómez Dumm
de Gómez Dumm, Irma N. T., María J. T. de Alaniz, and Rodolfo R. Brenner. Comparative effect of glucagon, dibutyryl cyclic AMP, and epinephrine on the desaturation and elongation of linoleic acid by rat liver microsomes, 833
Dejarlais, W. J. and E. A. Emken. Syntheses of tetra- and hexadeuterated octadecenoates, 594
Demcisak, Barbara. See John R. Gilbertson
Demopoulos, Harry B. See Dennis D. Pietronigro
De Moreno, Julia E. A., Victor J. Moreno, and Rodolfo R. Brenner. Lipid metabolism of the yellow clam, *Mesodesma mactroides:* I. Composition of the lipids, 334
—— Victor J. Moreno, and Rodolfo R. Brenner. Lipid metabolism of the yellow clam, *Mesodesma mactroides:* 2-polyunsaturated fatty acid metabolism, 561
Dhopeshwarkar, Govind A. and Carole Subramanian. Biosynthesis of polyunsaturated fatty acids in the developing brain: I. Metabolic transformations of intracranially administered 1-^{14}C linolenic acid, 67
—— and Carole Subramanian. Biosynthesis of polyun-

saturated fatty acids in the developing brain: II. Metabolic transformations of intracranially administered [3-^{14}C] eicosatrienoic acid, evidence for lack of Δ^8 desaturase, 689
Dohm, G. Lynis. See Hisham A. Barakat
Dougherty, R. See E. A. Emken
Dutton, H. J. See E. A. Emken

E

Eaton, C. A. See P. Mayzaud
Emken, E. A., W. K. Rohwedder, H. J. Dutton, R. Dougherty, J. M. Iacono and J. Mackin. Dual-labeled technique for human lipid metabolism studies using deuterated fatty acid isomers, 135
—— See W. J. Dejarlais

F

Farkas, Tibor and Istvan Csengeri. Biosynthesis of fatty acids by the carp, *Cyprinus carpio* L., in relation to environmental temperature, 401
Fiecchi, A. See M. Galli Kienle
Fisher, M. M., G. Kakis and I. M. Yousef. Bile acid pool in wistar rats, 93
Fletcher, Ronald D. See John R. Gilbertson
Florenzano, G. See C. Paoletti
Fogerty, A. C. See L. J. Cook
Fong, J. W. See H. Brockerhoff
Fratzke, Marilyn L. See Frances J. Zeman
Friedberg, Samuel J. Plasma transport forms of ingested fatty alcohols in the rat, 587
Funk, Max O., Ramdas Issac and Ned A. Porter. Preparation and purification of lipid hydroperoxides from arachidonic and γ-linolenic acids, 113

G

Galli, Alberto, Marina Brunetti, Helmut Woelk, and Giuseppe Porcellati. Relationships between base-exchange reaction and the microsomal phospholipid pool in the rat brain in vitro, 823
Galli, C. See M. Galli Kienle
Galli, G. See M. Galli Kienle
Garcia, Agustina, Stephen F. Sener and Richard D. Mavis. Lung lamellar bodies lack certain key enzymes of phospholipid metabolism, 109
Gardner, H. W., D. Weisleder and R. Kleiman. Addition of *N*-Acetylcysteine to linoleic acid hydroperoxide, 127
Gartside, P. S. See T. T. Ishikawa
Geher, K. See A. Kuksis
Gerolami, A. See J. C. Montet
Gielen, J. See A. Adam
Gilbertson, John R., Ronald D. Fletcher, Joseph C. Kawalek and Barbara Demcisak. Effects of pentadecan-2-one on the growth of cells in culture, 172
Glenn, Joseph L. See Robert G. Briggs
Glueck, C. J. See T. T. Ishikawa
Gordon, E. See J. L. Beare-Rogers.
Greenberg, Anne J. See Carter Litchfield
Grogan, William M., Jr. See John G. Coniglio
Gunstone, F. D. See R. Kleiman

H

Hadley, John G. See Elias G. Tombropoulos
Haltia, Matti. See Kauko Kahma
Hamberg, Mats. Short communication re biosynthesis of prostaglandin E_1 by human seminal vesicles, 249
Hard, G. C. See G. J. Hopkins.
Hasegawa, Shinichi. See Kazuo Kasama
Hauton, J. C. See J. C. Montet
Havenstein, N. See P. J. Nestel
Hayashi, Kenji. See Toru Takagi
Hedges, B. See K. W. Kang
Heimberg, Murray. See Carlos Soler-Argilaga
Heller, Michael, Nava Mozes, and Irena Peri (Abramovitz). Interactions of phospholipase D with 1,2 diacyl-sn-glycerol-3-phosphorylcholine, dodecylsulfate, and Ca^{2+}, 604
—— See H. Strauss
Henly, R. S. See P. T.-S. Pei
Hirsoka, Akira. See Akira Yamamoto
Holmlund, C. E. See M. T. Sobus
Holub, B. J. Specific formation of arachidonoyl phosphatidylinositol from 1-acyl-*sn*-glycero-3-phosphorylinositol in rat liver, 1
—— and J. Piekarski. Biosynthesis of molecular species of CDP-diglyceride from endogenously-labeled phosphatidate in rat liver microsomes, 251
Holzschu, Donald L. See Jon J. Kabara
Homma, Y. See P. J. Nestel
Hopkins, G. J., and C. E. West. Effect of dietary fats on pentobarbitone-induced sleeping times and hepatic microsomal cytochrome P-450 in rats, 736
—— C. E. West and G. C. Hard. Effect of dietary fats on the incidence of 7,12-dimethylbenz(a)-anthracene-induced tumors in rats, 328
Horton, B. J. See S. D. Turley
Hosohara, Masako. See Hiroshi Kaneko
Hsieh, Alexander, and Edward G. Perkins. Nutrition and metabolic studies of methyl esters of dimeric fatty acids in the rat, 763
Huang, William Y. and Fred A. Kummerow. Cholesterol and fatty acid synthesis in swine, 34
Hulan, H. W., J. K. G. Kramer, S. Mahadevan, F. D. Sauer and A. H. Corner. Effect of cold stress on rapeseed oil fed rats, 6
—— J. K. G. Kramer, S. Mahadevan, F. D. Sauer and A. H. Corner. Relationship between erucic acid and myocardial changes in male rats, 9
Hurwitz, S. See D. Sklan

I

Iacono, J. M. See E. A. Emken
Infante, J. P., and J. E. Kinsella. Phospholipid synthesis in mammary tissue. Choline and ethanolamine kinases: Kinetic evidence for two discrete active sites, 727
Ishikawa, T. T., J. B. Brazier, P. M. Steiner, L. E. Stewart, P. S. Gartside, and C. J. Glueck. A study of the heparin-manganese chloride method for determination of plasma α-lipoprotein cholesterol concentration, 628
Issac, Ramdas. See Max O. Funk
Itabashi, Yutaka. See Toru Takagi
Itoh, T., T. Tamura, and T. Matsumoto. Tirucalla-7,24-dienol: A new triterpene alcohol from tea seed oil, 434
Itoh, Toshihiro. See Hiroshi Kaneko
Iwaoka, Wayne T. and E. G. Perkins. Nutritional effects of the cyclic monomers of methyl linolenate in the rat, 349

J

Jackson, Larry L. and Gary L. Blomquist. Short communication re cuticular lipids of insects: VIII. Alkanes of the Mormon cricket *Anabrus simplex*, 77
Jacob, Jürgen. Short communication re diester waxes containing 2-hydroxy fatty acids from the uropygial gland secretion of the white stork (*Ciconia ciconia*), 816
Jenkin, H. M., E. McMeans, L. E. Anderson, and T. K. Yang. Phospholipid composition of *Culex quinquefasciatus* and *Culex tritaeniorhynchus* cells in logarithmic and stationary growth phases, 697
—— See E. McMeans
—— See T. K. Yang
Jensen, Benny. Rat testicular lipids and dietary isomeric fatty acids in essential fatty acid deficiency, 179
Jensen, Gordon L., and Samuel C. Smith. Determination of background serum density for lipoprotein ultracentrifugation, 752
Johnson, A. R. See L. J. Cook
Johnson, Ronald C. and Shantilal N. Shah. Binding of squalene, lanosterol, desmosterol, and cholesterol to proteins in brain and liver 105,000 g supernatant fractions: Evidence for specific binding sites, 645
Jones, W. Barrie G. See Dennis D. Pietronigro

K

Kaa, Elisabet. In vitro biosynthesis of prostaglandin E_2 by kidney medulla of essential fatty acid deficient rats, 693
Kabara, Jon J., Donald L. Holzschu, and Demokritos P. Catsoulacos. Structure-function activity of azasterols and nitrogen-containing steroids, 755
Kahma, Kauko, Jaakko Brotherus, Matti Haltia and Ossi Renkonen. Low and moderate concentrations of lysobiaphosphatidic acid in brain and liver of patients affected by some storage diseases, 539
Kakis, G. See M. M. Fisher
Kako, K. Joe See Gloria Zaror-Behrens
Kaneko, Hiroshi, Masako Hosohara, Masamichi Tanaka, and Toshihiro Itoh. Lipid composition of 30 species of yeast, 837
—— and T. Itoh. Letter to the editor re the extraction of lipids from yeast, 821

Kang, K. W., J. C. Christian, B. Hedges, L. A. Corey, and R. Powell. Fatty acid variability of plasma lipids and cholesteryl esters in adult male twins and their brothers, 722
Karel, Marcus. See Karen M. Schaich
Kasama, Kazuo, Katsumi Yoshida, Susumu Takeda, Ryotaro Tsujimura, and Shinichi Hasegawa. Inhibition of acid esterase in rat liver by 4,4′-diethylaminoethoxyhexestrol, 718
Katayama, Kouichi. See Tadashi Tateyama
Kates, M. See S. C. Kushwaha
Kato, K. See I. Yano
Katyal, S. L. and B. Lombardi. Quantitation of phosphatidyl N-methyl- and N,N-dimenthylaminoethanol in rat liver, 513
Kawalek, Joseph C. See John R. Gilbertson
Kawashima, Y. See M. Nakagawa
Kienle, M. Galli, G. Cighetti, E. Santaniello, A. Fiecchi, and G. Galli, B-oxidative cleavage of octanoyl- and dodecanoyl- CoA in rat liver cytoplasm, 235
—— G. Cighetti, C. Spagnuolo, and C. Galli. Effects of rapeseed oil on fatty acid oxidation and lipid levels in rat heart and liver, 670
Kinsella, John E. Monoacyl-*sn*-glycerol 3-phosphate acyltransferase specificity in bovine mammary microsomes, 680
—— See J. P. Infante
Kitani, Teruo. See Akira Yamamoto
Kleiman, R., M. B. Bohannon, F. D. Gunstone, and J. A. Barve. Mass spectra of acetylenic fatty acid methyl esters and derivatives, 599
—— See M. B. Bohannon
—— See H. W. Gardner
—— See R. D. Plattner
Klein, F. and P. Mandel. Lipid composition of rat sciatic nerve, 506
Kossa, W. C. See P. T.-S. Pei
Kramer, J. K. G. See H. W. Hulan
—— See S. C. Kushwaha
Krevitz, Kenneth. See William R. Nes
Kritchevsky, D. See G. H. Rothblat
—— See Jon A. Story
Kuksis, A., L. Marai, J. J. Myher, and K. Geher. Identification of plant sterols in plasma and red blood cells of man and experimental animals, 581
—— See S. K. F. Yeung
Kummerow, Fred A. See William Y. Huang
Kushwaha, S. C., M. Kates, J. K. G. Kramer, and R. E. Subden. Lipid composition of *Neurospora crassa,* 778
Kwiterovich, Peter O. See Subroto Chatterjee

L

Lamden, Merton P. See Steve L. Taylor
Landriscina, C., F. M. Megli and E. Quagliariello. Turnover of fatty acids in rat liver cardiolipin: Comparison with other mitochondrial phospholipids, 61
Lehmann, J. and H. T. Slover. Relative autoxidative and photolytic stabilities of tocols and tocotrienols, 853
Leibovitz-Ben Gershon, Z. See H. Strauss
Lercker, G. See C. Paoletti
Leung, Benjamin S. See Grace Y. Sun
Leveille, G. A. See S. D. Clarke
Lewis, R. W. Effect of alimentation on human serum squalene levels, 430
Lin, James S. See Patricia A. Murphy
Lindholm, Lars-Erik. See Jonas Blomberg
Litchfield, Carter, Anne J. Greenberg, Gregory Noto, and Reginald W. Morales. Unusually high levels of C_{24}–C_{30} fatty acids in sponges of the class Demospongiae, 567
—— See Yuri Wedmid
Loesche, Patricia. See Hisham A. Barakat
Loh, William. See Donald T. Witiak
Lombardi, B. See S. L. Katyal
Louloudes, S. See E. McMeans
Lutton, C. and D. B. Zilversmit. Phospholipid exchange proteins in rat intestine, 16
Lyman, R. L. See B. P. Poovaiah

M

Mackin, J. See E. A. Emken
Maddow, Jane. See Raju K. Pullarkat
Mahadevan, S. See H. W. Hulan
Maheshwari, R. See K. S. Raju
Mandel, P. See F. Klein
Marai, L. See A. Kuksis
Masui, M. See I. Yano
Matsumoto, T. See T. Itoh
Matsuo, Mitsuyoshi. See Shiro Urano
Matsuzawa, Yuji. See Akira Yamamoto
Mavis, Richard D. See A. Garcia
Maxwell, J. R. See R. E. Cox
Mayzaud, P., C. A. Eaton, and R. G. Ackman. The occurrence and distribution of octadecapentaenoic acid in a natural plankton population. A possible food chain index, 858
Mazurek, M. See A. P. Tulloch
McCutcheon, J. S., T. Umermura, M. K. Bhatnagar, and B. L. Walker. Cardiopathogenicity of rapeseed oils and oil blends differing in erucic, linoleic, and linolenic acid content, 545
McMeans, E., T. K. Yang, L. E. Anderson, S. Louloudes and H. M. Jenkin. Comparison of the lipid composition of *Culex quinquefasciatus* and *Culex tritaeniorhynchus* cells obtained from the logarithmic and stationary phases of growth, 28
—— See H. M. Jenkin
—— See T. K. Yang
Mead, James F. See Ichiro Nakazawa
Megli, F. M. See C. Landriscina
Miceli, Dora C. and Rodolfo R. Brenner. Fatty acid biosynthesis during embryogenesis in the amphibian *Bufo arenarum* Hensel, 291
Mills, S. C., L. J. Cook, T. W. Scott and P. J. Nestel. Effect of dietary fat supplementation on the composition and positional distribution of fatty acids in ruminant and porcine glycerides, 49
—— See L. J. Cook
Montet, A. M. See J. C. Montet
Montet, J. C., A. M. Montet, A. Gerolami, J. Amic, and J. C. Hauton. Glycodihydrofusidate: Biliary excretion and its effect on biliary secretion of the rat, 408
Montfoort, A., W. A. M. Boere, and L. J. L. D. Van Griensven. Changes in the cholesterol and phospholipid content of mouse spleen after Rauscher Leukemia Virus infection, 798
Morales, Reginald W. See Carter Litchfield
Moreno, Victor J. See Julia E. A. De Moreno
Morris, Daniel. See Nome Baker
Mosbach, Erwin H. See Gabriela Nicolau
Mounts, T. L. Double bond position affects metabolism of *cis*-octadecenoates, 676
Mozes, Nava. See Michael Heller
Murphy, Patricia A., James S. Lin, Harold S. Olcott, and John J. Windle. Oxidation of N-methyl-γ-tocopheramine to a nitroxide, 296
Myers, R. N. See R. E. Cox
Myher, J. J. See A. Kuksis

N

Naftulin, M. See G. H. Rothblat
Nagata, Akihiko, Shunji Aono and Hiroshi Nakatani. Effect of (−)N-[α-phenyl-β-(p-tolyl) ethyl] linoleamide on lipid levels in serum and liver in cholesterol-fed rats, 167
—— Hiroshi Nakatani and Katsuyuki Toki. Inhibition of cholesterol absorbtion by (−)N-[α-phenyl-β-(p-tolyl) ethyl] linoleamide in rats, 163
Nakagawa, M., Y. Kawashima, and M. Uchiyama. Short communication re relationship between desaturation and chain elongation of palmityl-CoA in rat liver microsomes, 241
Nakatani, Hiroshi. See Akihiko Nagata
Nakazawa, Ichiro and James F. Mead. Short communication re effect of transplanted human ovarian cancer tissue on liver lipid metabolism of nude mice, 159
—— James F. Mead and Robert H. Yonemoto. Short communication re in vitro activity of the fatty acyl desaturases of human cancerous and noncancerous tissues, 79
Nazir, Darius J. See Frank P. Bell
Nes, William R., Kenneth Krevitz and Shamideh Behzadan. Configuration at C-24 of 24-methyl and 24-ethylcholesterol in tracheophytes, 118
Nestel, P. J., Y. Homma, T. W. Scott, L. J. Cook and N. Havenstein. Effect of dietary polyunsaturated pork on plasma lipids and sterol excretion in man, 42
—— See S. C. Mills
Netting, A. G. See P. Von Wettstein-Knowles
Newman, Howard A. I. See Donald T. Witiak
Nicolaides, N., J. M. B. Apon, and David H. Wong. Further studies of the saturated methyl branched fatty acids of *Vernix caseosa* lipid, 781
Nicolau, Gabriela, Bertram I. Cohen, Gerald Salen and Erwin H. Mosbach. Studies on the 12α and 26-hydroxylation of bile alcohols by rabbit liver microsomes, 148
Noto, Gregory. See Carter Litchfield

O

Ohno, Y. See I. Yano
Ohyama, A. See I. Yano
Olcott, Harold S. See Patricia A. Murphy
Ota, Toru. See Toru Takagi

P

Paoletti, C., B. Pushparaj, G. Florenzano, P. Capella, and G. Lercker. Unsaponifiable matter of green and blue-green algal lipids as a factor of biochemical differentiation of their biomasses: I. Total unsaponifiable and hydrocarbon fraction, 258
—— B. Pushparaj, G. Florenzano, P. Capella, and G. Lercker. Unsaponifiable matter of green and blue-green algal lipids as a factor of biochemical differentiation of their biomasses: II. Terpenic alcohol and sterol fractions, 266
Paradis, M. and R. G. Ackman. Localization of a marine source of odd chain-length fatty acids. I. The amphipod *Pontoporeia femorata* (Kröyer), 863
—— and R. G. Ackman. Localization of a source of marine odd chain-length fatty acids. II. Seasonal propagation of odd chain-length monoethylenic fatty acids in a marine food chain, 871
Pascal, J. C. and R. G. Ackman. Occurrence of 7-methyl-7-hexadecenoic acid, the corresponding alcohol, 7-methyl-6-hexadecenoic acid, and 5-methyl-4-tetradecenoic acid in sperm whale oils, erratum, 81
Patterson, G. W. See John H. Adler
Patterson, J. D. E. See J. A. Blain
Pearce, Robert E. and Lewis W. Stillway. Short communication re *trans*-6-hexadecenoic acid in the spadefish *Chaetodipterus faber*, 247
Pei, P. T.-S., W. C. Kossa, S. Ramachandran, and R. S. Henly. Short communication re high pressure reverse phase liquid chromatography of fatty acid *p*-bromophenacyl esters, 814
Peri (Abramovitz), Irena. See Michael Heller
Perkins, Edward G. See Alexander Hsieh
—— See Wayne T. Iwaoka
Phillips, F. C. See T. Takatori
Piekarski, J. See B. J. Holub
Pietronigro, Dennis D., Myron L. Seligman, W. Barrie G. Jones, and Harry B. Demopoulos. Retarding effects of DNA on the autoxidation of liposomal suspensions, 808
Plattner, R. D., G. F. Spencer, and R. Kleiman. Double bond location in polyenoic fatty esters through partial oxymercuration, 222
Poochikian, Guiragos K. See Donald T. Witiak
Poovaiah, B. P., J. Tinoco, and R. L. Lyman. Influence of diet on conversion of $^{14}C_1$-linolenic acid to docosahexaenoic acid in the rat, 194
Porcellati, Giuseppe. See Alberto Gaiti
Porter, Ned A. See Max O. Funk
Powell, R. See K. W. Kang
Privett, O. S. See T. Takatori
Pryor, William A., J. P. Stanley, and E. Blair. Autoxidation of polyunsaturated fatty acids: II. A suggested mechanism for the formation of TBA-reactive materials from prostaglandin-like endoperoxides, 370
Pullarkat, Raju K., Jane Maddow and Henry Reha. Effect of early postnatal dietary sterculate on the fatty acid composition of rat liver and brain lipids, 802
Pushparaj, B. See C. Paoletti

Q

Quagliariello, E. See C. Landriscina

R

Rajiah, A., M. R. Subbaram and K. T. Achaya. Contribution towards the glyceride structure of kamala seed oil, 87
Raju, K. S., R. Maheshwari, and P. S. Sastry. Lipids of some thermophilic fungi, 741
Ramachandran, S. See P. T.-S. Pei
Reha, Henry. See Raju K. Pullarkat
Renkonen, Osmi. See Kauko Kahma
Rohwedder, W. K. See E. A. Emken
Romsos, D. R. See S. D. Clarke
Rothblat, G. H., L. Arbogast, D. Kritchevsky, and M. Naftulin. Cholesteryl ester metabolism in tissue culture cells: II. Source of accumulated esterified cholesterol in Fu5AH rat hepatoma cells, 97

S

Salen, Gerald. See Gabriela Nicolau
Salyers, A. A. See J. F. Sperry
Sandborg, Christy. See Nome Baker
Sankarappa, Shankar K. See Donald T. Witiak
Santaniello, E. See M. Galli Kienle
Sastry, P. S. See K. S. Raju
Sauer, F. D. See H. W. Hulan
Saunders, D. R. and J. Sillery. Lecithin inhibits fatty acid and bile salt absorption from rat small intestine in vivo, 830
Schaich, Karen M. and Marcus Karel. Free radical reactions of peroxidizing lipids with amino acids and proteins: An ESR study, 392
Schmidt, P. C. See H. Brockerhoff
Scott, T. W. See L. J. Cook
—— See S. C. Mills
—— See P. J. Nestel
Scrimgeour, C. M. Short communication re fatty acids of the seed oils of alpine *Cruciferae* and other alpine species, 877
Seki, Ko-ichi. See Akira Yamamoto
Seligman, Myron L. See Dennis D. Pietronigro
Sener, Stephen F. See A. Garcia
Shah, Shantilal N. See Ronald C. Johnson
Shaw, C. E. See J. A. Blain
Sheng, Yung-Boo. See Robert L. Wixom
Shimasaki, H. See T. Takatori
Siddiqi, Majid. See M. Tauseef Siddiqui
—— See S. Y. K. Yousufzai
Siddiqui, M. Tauseef, and Majid Siddiqi. Short communication re hypolipidemic principles of *Cicer arietinum*:biochanin-A and formononetin, 243
Sillery, J. See D. R. Saunders
Sklan, D., P. Budowski, and S. Hurwitz. Site of bile acid absorption in the rat, 467
Skurdal, David N. See Eric O. Uthus
Slawson, Vida and Arthur W. Adamson. Chemiluminescent autoxidation of linolenic acid films on silica gel, 472
Slover, H. T. See J. Lehmann
Smith, Carlton. See Hisham A. Barakat
Smith, R. W. and Ann Walsh. Short communication re effect of lactation on lipolysis in rat adipose tissue, 418
Smith, Samuel C. See Gordon L. Jensen
Sobus, M. T. and C. E. Holmlund. Extraction of lipids from yeast, 341
Soler-Argilaga, Carlos, Abraham Danon, Henry G. Wilcox, and Murray Heimberg. Effects of sex on formation and properties of plasma very low density lipoprotein in vivo, 517
—— and Murray Heimberg. Letter to the editor re calculation of the rate of utilization of albumin-bound free fatty acids from specific radioactivity data, 83
Spagnuolo, C. See M. Galli Kienle
Spencer, G. F. See R. D. Plattner
Sperry, J. F., A. A. Salyers, and T. D. Wilkins. Short communication re fecal long chain fatty acids and colon cancer risk, 637
Stanley, J. P. See William A. Pryor
Steiner, P. M. See T. T. Ishikawa
Stewart, L. E. See T. T. Ishikawa
Stillway, Lewis W. See Robert E. Pearce
Story, Jon A., Shirley A. Tepper, and David Kritchevsky. Age-related changes in the lipid metabolism of Fisher 344 rats, 623
Strauss, H., Z. Leibovitz-Ben Gershon, M. Heller. Enzymatic hydrolysis of 1-monoacyl-SN-glycerol-3-phosphoryl-choline (1-lysolecithin) by phospholipases from peanut seeds, 442
Subbaram, M. R. See A. Rajiah
Subden, R. E. See S. C. Kushwaha
Subramanian, Carole. See Govind A. Dhopeshwarkar
Sun, Grace Y. and Benjamin S. Leung. Changes in phospholipids and acyl group composition of rat mammary gland during pregnant, lactating, and post-weaning periods, 322

T

Takagi, Toru, Yutaka Itabashi, Toru Ota, and Kenji Hayashi. Short communication re gas chromatographic separation of wax esters based on the degree of unsaturation, 354
Takatori, T., F. C. Phillips, H. Shimasaki, and O. S. Privett. Effects of dietary saturated and *trans* fatty acids on tissue lipid composition and serum LCAT activity in the rat, 272
—— Frederick Phillips and Orville S. Privett. Effects of dietary saturated and *trans* fatty acids on cho-

lesteryl ester synthesis and hydrolysis in the testes of rats, 357
Takeda, Susumu. See Kazuo Kasama
Tamura, T. See T. Itoh
Tanaka, Masamichi. See Hiroshi Kaneko
Tappel, Al L. See Steve L. Taylor
Tapscott, Edward B. See Hisham A. Barakat
Tateyama, Tadashi and Kouichi Katayama. Metabolism of chenodeoxycholic acid in hamsters, 845
Taylor, Steve L., Merton P. Lamden, and Al L. Tappel. Sensitive fluorometric method for tissue tocopherol analysis, 530
Tepper, Shirley A. See Jon A. Story
Terry, Boyd E. See Robert L. Wixom
Tinoco, J. See B. P. Poovaiah
Tirri, L. J. See H. Brockerhoff
Toki, Katsuyuki. See Akihiko Nagata
Tombropoulos, Elias G. and John G. Hadley. Lipid synthesis by perfused lung, 491
Tsujimura, Ryotaro. See Kazuo Kasama
Tulloch, A. P. and M. Mazurek. ^{13}C nuclear magnetic resonance spectroscopy of saturated, unsaturated, and oxygenated fatty acid methyl esters, 228
Turley, S. D. and C. E. West. Effect of cholesterol and cholestyramine feeding and of fasting on sterol synthesis in the liver, ileum, and lung of the guinea pig, 571
—— C. E. West, and B. J. Horton. Sterol synthesis in the liver, intestine, and lung of the guinea pig, 281

U

Uchiyama, M. See M. Nakagawa
Umermura, T. See J. S. McCutcheon
Urano, Shiro and Mitsuyoshi Matsuo. A radical scavenging reaction of α-tocopherol with methyl radical, 380
Uthus, Eric O., David N. Skurdal, and W. E. Cornatzer. Effect of ethanol ingestion on choline phosphotransferase and phosphatidyl ethanolamine methyltransferase activities in liver microsomes, 641

V

Van Cantfort, J. See A. Adam
Vandenheuvel, W. J. A. See R. M. Weppelman
Van Griensven, L. J. L. D. See A. Montfoort
Vatassery, G. T., J. F. Berry, R. Younozai, and P. Lam Bergad. Effect of vitamin E deficiency on the lipid class and fatty acid composition of rat brain gray and white matter, 317
Vernon, R. G. Effect of dietary fats on ovine adipose tissue metabolism, 662
Von Wettstein-Knowles, P. and A. G. Netting. Esterfied alkan-1-ols and alkan-2-ols in barley epicuticular wax, 478

W

Walker, B. L. See J. S. McCutcheon
Walsh, Ann. See R. W. Smith
Wang, C. C. See R. M. Weppelman
Warham, John. See Rodney Watts
Warnick, G. Russell and John J. Albers. Physiological and analytical variation in cholesterol and triglycerides, 203
Wassef, Momtaz K. Lipids of *Klebsiella pneumoniae:* The presence of phosphatidyl choline in succinate-grown cells, 364
Watts, Rodney and John Warham. Structure of some intact lipids of petrel stomach oils, 423
Wedmid, Yuri and Carter Litchfield. Positional analysis of isovaleroyl triglycerides using proton magnetic resonance with Eu(fod)$_3$ and Pr(fod)$_3$ shift reagents: II. Cetancean triglycerides, 189
Weisleder, D. See H. W. Gardner
Weppelman, R. M., W. J. A. Vandenheuvel, and C. C. Wang. Mass spectrometric analysis of the fatty acids and nonsaponifiable lipids of *Eimeria tenella* oocysts, 209
West, C. E. See G. J. Hopkins
—— See S. D. Turley
Weyant, Joan. See Joel Bitman
Wilcox, Henry G. See Carlos Soler-Argilaga
Wilkins, T. D. See J. F. Sperry
Windle, John J. See Patricia A. Murphy
Witiak, Donald T., Howard A. I. Newman, Guiragos K. Poochikian, William Loh, and Shankar K. Sankarappa. Comparative antilipidemic effects of various ethyl 5-substituted benzofuran-,2,3-dihydrobenzofuran-, and 3(2H)-benzofuranone-2-carboxylate analogs of clofibrate in a triton hyperlipidemic rat model, 384
Wixom, Robert L., Yung-Boo Sheng, Helen L. Anderson, William K. Yamanaka, and Boyd E. Terry. Some nutrient interrelations during total intravenous alimentation in adult man—a review, 299
Woelk, Helmut. See Alberto Gaiti
Wong, David H. See N. Nicolaides
Wood, D. L. See Joel Bitman
Wood, Randall. Short communication re oleic and vaccenic acid levels in lipid classes of tumors, 578
Wrenn, T. R. See Joel Bitman

Y

Yabuuchi, E. See I. Yano
Yamamoto, Akira, Susumu Adachi, Yuji Matsuzawa, Teruo Kitani, Akira Hiraoka, and Ko-ichi Seki. Studies on drug-induced lipidosis: VII. Effects of bis-β-diethylaminoethylether of hexestrol, chloroquine, homochlorocyclizine, prenylamine, and diazacholesterol on the lipid composition of rat liver and kidney, 616
Yamanaka, William K. See Robert L. Wixom
Yang, T. K., E. McMeans, L. E. Anderson and H. M. Jenkin. Neutral lipid composition of *Culex quinquefasciatus* and *Culex tritaeniorhynchus* cells at two phases of growth, 21
—— See H. M. Jenkin
—— See E. McMeans
Yano, I., Y. Ohno, M. Masui, K. Kato, E. Yabuuchi, and A. Ohyama. Occurrence of 2- and 3-hydroxy fatty acids in high concentrations in the extractable and bound lipids of *Flavobacterium meningosepticum* and *Flavobacterium* IIb, 685
Yeung, S. K. F. and A. Kuksis. Utilization of L-serine in the in vivo biosynthesis of glycerophospholipids by rat liver, 498
Yonemoto, Robert H. See Ichiro Nakazawa
Yoshida, Katsumi. See Kazuo Kasama
Younozai, R. See G. T. Vatassery
Yousef, I. M. See M. M. Fisher
Yousufzai, S. Y. K., Majid Siddiqi and A. K. Abdullah. Protective effect of 3-hydroxy-3-methylglutaric acid in alcohol-induced lipemia, 526

Z

Zaror-Behrens, Gloria, and K. Joe Kako. Effect of bovine serum albumin on monoacyl- and diacylglycerol 3-phosphate formation in mitochondrial and microsomal fractions of rabbit hearts, 713
Zeman, Frances J. and Marilyn L. Fratzke. Lipid absorption in the young of protein-deficient rats, 652
Zilversmit, D. B. See C. Lutton

SUBJECT

A

Absidia ramosa. See Thermophilic fungi
Absorption, cholesterol, cholesteryl oleate, rat mucosa, 163
—— fat, phospholipid exchange activity, rat intestinal mucosa, 16
—— fat, in progeny of protein-deficient rats, 652
Absorption, intestinal, cholesterol, rat, distribution, excretion, 610
—— effect of ethanol, 848
—— pancreatic insufficiency, 830
Acer negundo L. See Maple seed
Acetate, incorporation, rat liver phospholipids, 61
—— incorporation, sterols guinea pig liver, ileum, lung, 571
Acetate-1-^{14}C, cholesterol, fatty acid biosynthesis, swine tissues, 34
—— incorporation by fatty acids of amphibian egg and embryo, 291

Acetoacetate, fatty acid biosynthesis in rat mammary gland, 774
Acetolysis, rat liver phospholipids, 498
Acetone crystallization, Kamala seed oil, 87
Acetyl CoA carboxylase, activity, swine tissues, 34
—— assay, sheep adipose, 662
Acetyl CoA synthetase, assay, sheep adipose, 662
Acyl-CoA: 1-acyl-SN-glycero-3-phosphorylinositol acyltransferase, specificity, rat liver, 1
Acyl-CoA: glycerol 3-phosphate acyltransferase, glycerolipid biosynthesis, rabbit heart, 713
Acyl-CoA: monoacyl-glycerol 3-phosphate acyltransferase, glycerolipid biosynthesis, rabbit heart, 713
Acyl phosphatidylglycerol, drug induced hepatic phospholipidosis, 718
Acyl residues, triglycerides, pilot whale, melon, radioisotopic assay, 153
1-Acyl-SN-glycerol-3-phosphorylinositol, synthesis, 1
Acylation, glycerides, preferential, during plasma lipid clearance, 42
Acyltransferase, specificity, bovine mammary microsomes, 680
Adipose, parametrial, NEFA and glycerol in lactating rat, 418
—— sheep, metabolism, effect of dietary fats, 662
Adipose tissue, rat, effect of dietary 18:2 and 18:3 on lipogenesis, 485
—— swine, cholesterol, fatty acid biosynthesis, 34
Age, lipid metabolism, Fisher 344 rats, 623
Aging, fatty acid profile, neutral lipids, mosquito cell cultures, 21
—— mosquito cell cultures, neutral lipids, phospholipids, fatty acid profile, aging, 28
Albumin, bovine serum, effect on glycerolipid biosynthesis, 713
Alcohols, barley wax esters, 478
—— lipemia induction, inhibition by 3-hydroxy-3-methylglutaric acid, 526
—— TLC, 587
Alcohols, bile, hydroxylation, liver microsomes, rabbit, monkey, man, 148
—— synthesis, electrolytic coupling purification, 148
Alcohols, fatty, rat, absorption, transport, 587
Alcohols, long chain. See Fatty alcohols
Alcohols, terpenic, algal lipids, 258
Alcohols, triterpene, tirculla-7,24-dienol from tea seed oil, 434
Algal lipids, carotenoids, 258
—— sterols, terpenic alcohols, unsaponifiable fractions, 258, 266
—— TLC, 258
Alimentation, intravenous, nutrient interrelationships, 299
Alkane, normal, methyl, dimethyl, insect cuticle lipid, 77
Alkanes, isoprenoid, acyclic, GLC, oxidation, *Mycobacterium fortuitum,* preparation, purification, argentation TLC, 72
Alkyl residues, wax esters, pilot whale, melon, radioisotopic assay, 153
c-AMP, dibutyryl, 18:2 elongation and desaturation in rat liver microsomes, 833
Amphibian, egg, embryo, fatty acid profile, 291
—— embryogenesis, fatty acid biosynthesis in, 291
Amphipods, collection, lipid anal, 863
—— odd chain-length fatty acids, 871
—— reproductive cycle in Nova Scotia harbors, 863
—— seasonal distribution in Nova Scotia harbors, 871
Anabrus simplex. See Cricket, Mormon
Androgen derivatives, minimal inhibitory concentration for yeasts and bacteria, 755
Angiosperms, methyl, ethylcholesterols, configuration at C-24, 118
Anthosigmella. See Sponge
Antilipidemic drugs, clofibrate analogs, 384
Antioxidant, effect of DNA on autoxidation, 808
—— mechanism, tocopheramines, 296
Aorta, porcine, cell culture, anaerobic, lipid accumulation, 791
—— rabbit, cultured cells, cholesterol metabolism, 97
—— swine, cholesterol, fatty acid biosynthesis, 34
Aorta lipids, rat, effect of isoflavones, 243
Aracheidonic acid, dietary, effect on linolenic acid metabolism, 194
Arachidonic acid, hydroperoxide, preparation, purification, 113
—— incorporation, phosphatidyl inositol, rat liver, 1
—— liposome autoxidation, effect of DNA, 808
—— prostaglandin E_2 synthesis in EFA-deficient rat kidney, 693
Arginine, ESR spectra with peroxidizing lipid, 392
Arrowworm, collection, lipid anal, 858
Ascosporogenous yeast, lipid content, NL and PL comp, FA profile, 837
Aspartylglycosaminuria, lysobiphosphatidic acid, brain, liver, 539
Asporogenous yeast, lipid content, NL and PL comp, FA profile, 837
Atherogenesis, serum lipids in the rabbit, 449
Atherosclerosis, clofibrate analogs, 384
ATP:choline phosphoryltransferase, bovine mammary gland, purification assay, 727
ATP:ethanolamine phosphoryltransferase, bovine mammary gland, purification assay, 727
Austropotamobius pallipes. See Crayfish
Autoxidation, 18:3 films on silica gel, 472
—— liposomes, effect of DNA, diene conjugation, 808
—— polyunsaturated fatty acids, endoperoxides, 370
—— tocols and tocotrienols in 14:0 and 18:2, 853
Azacholesterol derivatives, minimal inhibitory concentration for yeasts and bacteria, 755

B

Bacteria, effect of C-source on PL classes, 364
—— *Klebsiella pneumoniae,* phosphatidyl choline, 364
Bacteria, gram-negative, growth inhibition by nitrogen containing sterols, 755
Bacteria, gram-positive, growth inhibition by nitrogen containing sterols, 755
Ballistospoloegenous yeast, lipid content, NL and PL comp, FA profile, 837
Barley wax, alkan-1-ols and alkan-2-ols, 478
Base exchange, rat liver phospholipids, 498
Benthic fauna, odd chain-length fatty acids, 863
Bile, collection in the rat, 408
—— phospholipids, sheep, fatty acid distribution, positional, 49
Bile acids, absorption in rat intestine segments, 467
—— chromatography, column, TLC, 845
—— excretion, dietary polyunsaturated pork, 42
—— inhibition of absorption by PC vs. LPC, 830
—— isotope dilution anal, 845
—— metabolism in hamster, 845
—— methyl, trifluoroacetate, trimethylsilyl, GLC, 93
—— pool size, distribution, rat plasma, liver, intestine, 93
—— pool size, rat diet, sex, 93
—— TLC, 610
Bile alcohols, hydroxylation, liver microsomes, rabbit, monkey, man, 148
—— synthesis, electrolytic coupling, purification, 148
Bile salts, secretion after glycodihydrofusidate injection, 408
Biochanin-A. See Isoflavones
Birds, chemotaxonomy, uropygial gland wax esters, 816
—— petrel stomach oil lipids, 16 species, TLC, GLC, 423
Bis (monoacylglyceryl) phosphate, rat liver, kidney lipids, drug induced lipidosis, 616
Bladder, normal, cancerous, fatty acyl desaturase activity, 79
Blood, man, animals, plant sterols, 581
—— mouse, sequential sampling techniques, orbital venous sinus, 818
—— rat, cholesterol, oral, IP administration, 610
Brain, human. storage diseases, lysobiphosphatidic acid content, 539
Brain, rat, binding of squalene and sterols to cytosol proteins, 645
—— Ca^{2+} stimulated base exchange in PL, 823
—— developing, fatty acid biosynthesis, 67
—— effect of postnatal sterculate on fatty acid comp, 802
—— fatty acid profile, eicosa-5, 8, 11, 14-tetraynoic acid, 143
—— PUFA biosynthesis from 20:3ω3, 689
Brassicasterol, synthesis in *O. malhamensis,* 634
p-Bromophenacyl ester, formation, crown ether catalysis, 814
—— preparation, 235
Bufo arenarum Hensel. See Amphibian
Butter, polyunsaturated, influence on atherogenesis in the rabbit, 449
—— squalene content, 430

C

Ca, interaction with phospholipase D, phosphatidyl choline, 604
Calcium, stimulated base exchange in rat brain PL, 823
Campesterol, plasma, man, animals, 581
Cancer, bladder, colonic, ovarian, rectal, fatty acyl desaturase activity, 79
—— colon, long chain fatty acids, 637
—— effect of dietary fats on hepatic mixed function oxidase, 736
—— Ehrlich ascites in mice, 818
Candida albicans. See Yeast
Capillary gas-liquid chromatography, branched chain fatty acids, 781

Carboxylic acids, isomeric ω(2-alkyl cyclo hexadienyl). See Fatty acid cyclic monomers
Carcinogen effect, enhancement by dietary fat, 328
Carcinogens, chemical, effect of dietary fats on hepatic mixed function oxidase, 736
Cardiac lesions, rat, rapeseed oils, erucic acid, linolenic acid, 545
Cardiac necrosis, rat, rapeseed oils, erucic acid, linolenic acid, 545
Cardiolipin, fatty acid profile, mosquito cells, 697
—— rat liver, fatty acid, phosphorus, glycerol turnover, 61
—— in thermophilic fungi, 741
Cardiomyopathic hamster, heart and muscle lipids, 747
Carotenoids, algal lipids, 258
Carp, fatty acid biosynthesis in relation to environmental temperature, 401
—— liver, incorporation of ^{14}C-acetate into lipids, 401
Casein, ESR spectra with peroxidizing lipid, 392
Catalase, ESR spectra with peroxidizing lipid, 392
CDP-choline, labeling of rat brain phosphatidyl choline, 823
CDP-choline:1,2-diglyceride choline phosphotransferase, assay, 641
Cell culture, anaerobic, porcine aorta cells, lipid accumulation, 791
—— mosquito, neutral lipids, phospholipids, fatty acid profile, aging, 21, 28
—— pentadecan-2-one, 172
Centrifugation, marker enzymes, 823
—— subcellular fractions, 641, 713
—— sucrose density gradient, liposomes, 808
Ceramide trihexoside, in human lipoproteins and whole plasma, 462
Cetacean triglycerides, structure, 189
Chaetodipterus faber. See Spadefish
Chaetognaths, carvinorous, collection, lipid anal, 858
Chemiluminescence, during autoxidation of linolenic acid films, 472
—— peroxy radicals and singlet oxygen, 472
Chemotaxonomy, uropygial gland secretions, 816
Chenodeoxycholic acid, metabolism in hamster, 845
Chicken egg, incorporation of *cis*-octadecenoates into yolk TG and PL, 676
Chloroquine, lipidosis, liver, kidney lipids, 616
Cholelithiasis, pathogenesis in the hamster, 845
Cholesterol, absorption, distribution, excretion, rat, oral vs. IP, 610
—— biliary excretion after glycodihydrofusidate injection, 408
—— binding to brain and liver cytosol proteins, 645
—— biosynthesis, inhibition by di-2-ethylhexyl phthalate, 769
—— biosynthesis, swine tissues, 34
—— ^{14}C, ^{3}H, incorporation in serum lipoproteins, 97
—— crayfish muscle, 307
—— esterification, rat hepatoma, rabbit aorta, 97
—— 7α hydroxylase, liver microsomes, Fisher 344 rats, age related, 623
—— inhibition of absorption by rat mucosa, 163
—— liver, age related, Fisher 344 rats, 623
—— metabolism, cultured rat hepatoma cells, 97
—— oocysts of *Eimeria tenella*, 209
—— α-oxide, plasma, man, animals, 581
—— plasma α-lipoprotein, heparin-manganese chloride assay, 628
—— production of athersclerosis in rabbit by feeding, 449
—— rat liver and serum, 167
—— Rauscher Leukemia Virus infected mouse spleen, 798
Cholesterol, dietary, fatty acid biosynthesis, liver, ileum, lung, guinea pig, 571
—— and (−)N-[α-phenyl-β-(p-tolyl) ethyl] linoleamide treatment in rat, 167
—— phospholipid exchange activity, rat intestinal mucosa, 16
—— and sitosterol treatment in rat, 167
—— sterol synthesis, liver, ileum, lung, guinea pig, 571
Cholesterol, plasma, analytical and physiological variation, 203
—— in man, dietary polyunsaturated pork, 42
Cholesterol, serum, age related, Fisher 344 rats, 623
—— alcohol induced lipemia, 526
—— effect of clofibrate analogs, 384
Cholesterol, synthesis, age related, Fisher 344 rats, 623
—— guinea pig liver, ileum, lung, feed back control, 571
Cholesteryl esters, deposition in tissues of rabbits fed atherogenic diet, 449
—— fatty acids in mono- and dizygotic twins, 722
—— incorporation from serum by cultured cells, 97
—— metabolism, cultured rat hepatoma cells, rabbit aorta, 97
—— pilot whale, melon, 153
—— plasma, fatty acid profile, dietary polyunsaturated pork, 42
—— synthesis and hydrolysis in rat testis, 357
Cholesteryl oleate, inhibition of absorption by rat mucosa, 163
Cholestyramine, dietary, fatty acid biosynthesis, liver, ileum, lung, guinea pig, 571
—— sterol synthesis, liver, ileum, lung, guinea pig, 571
Choline, Ca^{2+} stimulated incorporation into rat brain PL, 823
—— incorporation, lung lipids, 491
—— requirement, effect of ethanol, 641
Choline kinase, bovine mammary gland, purification assay, 727
Chondrella. See Sponge
Chromanoxy radical, production by methyl radical attack, 380
Chromatography, column, alumina, sephadex, plant sterols, 118
—— alumina, squalene and lanosterol, 645
—— bile acids, 845
—— bile alcohols, 148
—— di-2-ethylhexyl phthalate, 769
—— dimeric fatty acids, 763
—— glycolipids, rat liver and brain, 802
—— insect cuticle lipid, 77
—— linoleic acid hydroperoxide-thiol addition compounds, 127
—— lipid classes, bacteria, 364
—— lipid classes, mosquito cells, 697
—— lipid classes, NL, glycolipid, PL, 778, 791
—— lipid classes, thermophilic fungi, 741
—— lysophosphatides, 676
—— lysophosphatidyl choline, 442
—— neutral lipids, glycolipids, PL, Folch lower phase, 662
—— *cis*-octadecenoates, ^{14}C-labeled, 676
—— rat liver phospholipids, 61
—— rat mammary lipids, 322
—— rat sciatic nerve lipids, 506
—— Sephadex, DNA, 808
—— Sephadex G-25, non-lipid, 364
—— Sephadex G-25, proteins, 645
—— Sephadex LH-20, lipofuscin pigments, 412
—— silicic acid, sephadex, sterols, 634
—— silver con, *cis-trans* octadecenoic acids, 594
—— tissue tocopherol, 530
—— wax esters, barley, 478
Chromatography, column, gel, lipid classes, benthic fauna, 863
Chromatography, column, high pressure, reverse phase, fatty acid *p*-bromophenacyl esters, 814
Chromatography, gas-liquid, acetylenic, oxo-, hydroxy esters, MS, 599
—— aldehyde esters, 689
—— algal hydrocarbons, 258
—— algal sterols, algal terpenic alcohols, 266
—— alkanes, insect cuticle lipid, 77
—— autoxidation products, 370
—— autoxidized linolenic acid, 472
—— bile acid derivatives, 93
—— branched chain hydroxy fatty acids, 685
—— di-2-ethylhexyl phthalate, 769
—— dimeric fatty acids, 763
—— fatty acids, 808, 833
—— fatty acids, alpine oilseeds, 877
—— fatty acids, amphibian embryo, 291
—— fatty acids, carp liver, 401
—— fatty acids, cell cultured porcine aorta, 791
—— fatty acids, crayfish, 307
—— fatty acids, diets, 736
—— fatty acids, hamster heart, 747
—— fatty acids, human plasma, 722
—— fatty acids, milk fat, 705
—— fatty acids, mold, 778
—— fatty acids, mosquito cells, 697
—— fatty acids, mouse spleen, 798
—— fatty acids, rat heart lipid, 287
—— fatty acids, rat heart and liver, 670
—— fatty acids, rat mammary, 322
—— fatty acids, rat tissue, 272
—— fatty acids, rat testis lipids, 357
—— fatty acids, thermophilic fungi, 741
—— fatty acids, yeast, 837
—— fatty acids, yellow clam, 334
—— 9,10-^{3}H oleic acid, 848
—— hydroxy acid silyl ethers, 87
—— isoprenoid alkanes, 72
—— methylglycoside TMSi derivatives, 462
—— *cis*-octadecenoates, ^{14}C-labeled, 676
—— plant sterols, 581
—— prostaglandin E_2, 693
—— rat testicular lipids, 179
—— squalene, 430
—— TG, wax esters, diacylglyceryl ethers, 423
—— tocopherols, TMSi ethers, 853
—— tocotrienols, TMSi ethers, 853
—— triterpene alcohols, 434

—— wax acids and alcohols, 478
—— wax ester components, 816
—— wax esters, 354
Chromatography, gas-liquid, capillary, fatty acids, amphipods, 871
—— fatty acids, fish and benthic fauna, 863
—— fatty acids, rat brain and liver lipids, 802
—— mono- and dimethyl branched fatty acids, 781
—— plankton fatty acids, 858
Chromatography, gas-liquid-mass spectroscopy, branched chain acids, 72
—— cholesterol, 209
—— deuterated fatty acids, 135
—— fatty acid esters, maple seed oil, 157
—— fatty acids, 209
—— long chain alcohols, 209
—— methoxy alkanoates, 222
—— *trans*-6-hexadecenoic acid in fish, 247
Chromatography, gel filtration, triglycerides, ruminant milk, 49
Chromatography, gel permeation, dimeric fatty acids, 763
Chromatography, high pressure liquid, lipid hydroperoxides, 113
Chromatography, liquid, fatty acid *p*-bromophenacyl esters, 814
Chromatography, paper, choline, P-choline, CDP-choline, 727
—— ethanolamine, P-ethanolamine, CDP-ethanolamine, 727
Chromatography, paper-silicic acid, bacterial PL and deacylated PL, 364
—— lipid classes, bacteria, 364
Chromatography, radio-gas-liquid, brain fatty acid methyl esters, 67
Chromatography, sintered rod, neutral lipids, yeast, 837
Chromatography, thin-layer, algal lipids, 258
—— alkyl-diacyl glycerol, 791
—— autoxidation products, 370
—— bacterial glycolipids, 364
—— bile acids, 610, 845
—— bile alcohols, 148
—— bile pigments, glycodihydrofusidate metabolites, 408
—— branched chain hydroxy fatty acids, 685
—— charring photodensitometry, 357
—— cholesterol esters, 357
—— cholesteryl esters, 357, 722
—— cytidine diphosphate diglycerides, 251
—— di-2-ethylhexyl phthalate, 769
—— 2-dimensional, phospholipids, 802
—— dimeric fatty acids, 763
—— fatty acids and methyl ketones, 478
—— fatty acids, rat heart and liver, 670
—— fatty alcohols, 587
—— 9,10-^{3}H oleic acid, 848
—— human plasma glycolipids, 462
—— intermediates in 20:3ω3 synthesis, 689
—— kamala seed oil, normal, hydrogenated, 87
—— linoleic acid hydroperoxide-thiol addition compounds, 127
—— lipid classes, 763
—— lipid classes, bacteria, 364
—— lipid classes, carp, 401
—— lipid classes, mosquito cells, 697
—— lipid classes, mouse spleen, 798
—— lipid classes, plankton, 858
—— lipid classes, rabbit heart, 713
—— lipid classes, rat brain PL, 823
—— lipid classes, rat liver and brain, 802
—— lipid classes, yeast, 837
—— lipid hydroperoxides, 113
—— lipids of the yellow clam, 334
—— liver non-saponifiables, 769
—— lysophosphatidyl choline, 442
—— mono, di-, and triglycerides, 676
—— neutral, glyco-, phospholipids, rat sciatic nerve, 506
—— neutral lipids, 2-dimensional, 791
—— neutral lipids, petrel stomach oils, 423
—— neutral lipids, PL, mold, 778
—— neutral lipids, thermophilic fungi, 741
—— N-methyl substituted phosphatidyl ethanolamines, 513
—— *cis*-octadecenoates, ^{14}C-labeled, 676
—— phosphatidic acids, 251
—— phospholipid spray reagent, 539
—— phospholipids, 421
—— phospholipids of crayfish, 307
—— phospholipids, thermophilic fungi, 741
—— PS and sphingomyelin, 798
—— rat liver phospholipids, 498
—— rat mammary lipids, 322
—— rat testicular lipids, 179
—— rat tissue lipids, 272
—— reversed phase, plant sterols, 118
—— squalene, 430
—— squalene and lanosterol, 645
—— tissue tocopherol, 530
—— tocopheramine nitroxide, 296
—— triglycerides, hamster heart, 747
—— triterpene alcohols, 434
—— wax ester components, plankton, 858
—— wax esters, 354
—— wax esters, barley, 478
—— yeast lipids, 340
Chromatography, thin-layer, argentation, algal terpenic alcohols, 266
—— brain fatty acid methyl esters, 67
—— fatty acids, 689
—— fatty acids of fish and benthic fauna, 863
—— insect cuticle lipid, 77
—— isoprenoid alkanes, 72
—— maple seed oil fatty acid esters, 157
—— phosphatidyl inositol molecular species, 1
—— rat liver fatty acid methyl esters, 61
—— sterols, 634
—— triterpene alcohol acetates, 434
Chromatography, thin-layer, cellulose, PL bases, 823
Chromatography, thin-layer, sintered, lipid classes, yeast, 837
Chylomicrons, electrophoresis, 848
—— postprandial squalene level, 430
—— triglyceride fatty acid distribution, positional, dietary polyunsaturated pork, 42
Cicer arietinum. See Gram
Ciconia ciconia. See Stork, white
Citrate cleavage enzyme, activity, swine tissues, 34
Citrate lyase, fatty acid biosynthesis in rat mammary gland, 774
Clam, yellow, fatty acid profile, fatty acid synthesis, lipids, 334
—— unsaturated fatty acid metabolism, 561
Cliona. See Sponge
Clofibrate analogs, antilipidemic action, synthesis, NMR spectra, 384
Cold stress, rats, dietary rapeseed oil, 6
Colon, normal, cancerous, fatty acyl desaturase activity, 79
Colonic cancer, long chain fatty acids, 637
Column chromatography. See Chromatography, column
Copepods, neretic, collection, lipid anal, 858
Corynebacterium sp. See Bacteria, gram-negative
Cow, mammary gland, choline and ethanolamine kinases, purification, assay, 727
—— lysophosphatidic acid acyltransferase specificity, 680
Cow milk, effects of "protected" cyclopropene fatty acids on comp, 705
Crayfish, lipids of muscle, temperature adaptation, 307
Cricket, Mormon, cuticular lipids, 77
Crustacea. See Amphipod
Culex quinquefasciatus. See Mosquito
Culex tritaeniorhynchus. See Mosquito
Cyclic-AMP, dibutyryl, 18:2 elongation and desaturation in rat liver microsomes, 833
Cyclic monomers, fatty acid, nutritional effects in rats, 349
Cyclopropene fatty acid, effect on rat liver and brain lipids, 802
—— "protected," effect on milk lipid comp, 705
Cysteine, ESR spectra with peroxidizing lipid, 392
Cystine, ESR spectra with peroxidizing lipid, 392
Cytidine diphosphate-^{14}C diglyceride, biosynthesis, preparation, 251
Cytidine diphosphate-diglyceride, molecular species, rat liver microsomes, 251
Cytidine triphosphate: phosphatidate cytidylyltransferase, fatty acid specificity, 251
Cytochrome P-450, effect of dietary fats on drug metabolism, 736
Cytoplasm, rat liver, β-oxidation in, 235

D

7-Dehydrocholesterol, plasma, man, animals, 581
Densitometry, thin-layer, rat sciatic nerve lipids, 506
Density, background, human and equine serum, 752
Desaturase, 18:2, effect of glucagon, diBu-c-AMP, epinephrine, 833
—— Δ^{8}, evidence for non-existence in rat brain, 689
—— fatty acid, effect of sterculic acid, 802
—— fatty acyl, microsomal, assay, normal, cancerous tissue, 79
Desaturation, of fatty acids in rat liver microsomes, 241
Desmosterol, binding to brain and liver cytosol proteins, 645
—— plasma, man, animals, 581
Deuteration, of fatty acids, 135
Deuterium, incorporation in oleic acid, 594
Di-2-ethylhexyl phthalate, dietary, effect on lipid biosynthesis in rat, 216
—— inhibition of sterolgenesis, 769

—— purification, toxicity, 216
Dialysis, equilibrium, background density of equine and human serum, 752
Diazacholesterol, lipidosis, liver, kidney lipids, 616
Dibutyryl-c-AMP, 18:2 elongation and desaturation in rat liver microsomes, 833
4,4'-Diethylaminoethoxyhexestrol, hepatic phospholipidosis, 718
Diets, liquid, containing ethanol, 641
Diglycerides, 1,2, biosynthesis, perfused lung, 491
—— mosquito cell cultures, fatty acid profile, aging, 21
Dihydrobenzofurans, antilipidemic action, 384
β-Diketones, barley epicuticular wax, 478
Dimer acids, preparation, purification, nutritional value, toxicity, 763
7,12-Dimethylbenz(a)anthracene, tumors and dietary fat, 328
Dinoflagellates, 18:5ω3, capillary GLC, 858
Diphosphatidyl glycerol. See Cardiolipin
DNA, retarding effect on liposomal autoxidation, 808
Docosadienoic acid, production from linoleic acid, 833
Docosahexaenoic acid, dietary, effect on linolenic acid metabolism, 194
$\Delta^{7,10,13,16}$-Docosatetraenoic acid, synthesis from 20:3ω3 in rat brain, 689
trans-Docosenoic acid, rat testicular lipids, 179
Dodecanoyl-CoA, cleavage in rat liver cytoplasm, 235
Dodecylsulfate, interaction with phospholipase D, phosphatidyl choline, 604
Dysidea. See Sponge

E

EC 1.1.1.8. See Glycerol-3-phosphate dehydrogenase
EC 1.1.1.37. See Malate dehydrogenase
EC 1.1.1.40. See NADP-malate dehydrogenase
EC 1.1.1.42. See Isocitrate dehydrogenase
—— See NADP-isocitrate dehydrogenase
EC 1.1.1.44. See 6-Phosphogluconate dehydrogenase
EC 1.1.1.49. See Glucose-6-phosphate dehydrogenase
—— See 6-Phosphogluconate dehydrogenase
EC 2.1.1.c. See Phosphatidyl ethanolamine S-adenosyl methionine methyltransferase
EC 2.3.1.15. See Acyl-CoA: glycerol 3-phosphate acyltransferase
EC 2.3.1.43. See Lecithin:cholesterol acyltransferase
EC 2.3.1.52. See Acyl-CoA: monoacyl-glycerol 3-phosphate acyltransferase
EC 2.7.1.1. See Hexokinase
EC 2.7.1.32. See ATP:choline phosphoryltransferase
EC 2.7.82. See CDP-choline:1,2-diglyceride choline phosphotransferase
EC 3.1.1.5. See Lysophospholipase
EC 3.1.1.32. See Phospholipase A_1
EC 3.1.4.4. See Phospholipase D
EC 4.1.3.8. See Citrate cleavage enzyme
—— See Citrate lyase
EC 6.2.1.1. See Acetyl CoA synthetase
EC 6.4.1.2. See Acetyl CoA carboxylase
Egg, chicken, incorporation of *cis*-octadecenoates into yolk TG and PL, 676
Egg yolk, squalene content, 430
Eicosa-5, 8 ,11, 14-tetraynoic acid, dietary, fatty acid metabolism, rat tissues, 143
Eicosadienoic acid, production from linoleic acid, 833
$\Delta^{5,11,14,17}$-Eicosatetraenoic acid, synthesis from 20:3ω3 in rat brain, 689
Eicosatrienoic acid, PUFA biosynthesis in rat brain, 689
8,11,14-Eicosatrienoic acid, conversion to PGE_1 in human seminal vesicles, 249
$\Delta^{5,11,14}$-Eicosatrienoic acid, production from linoleic acid, 833
$\Delta^{11,14,17}$-Eicosatrienoic acid, synthesis, 3-^{14}C-labeled, 689
Eicosenoic acid, dietary effects in rat, 287
trans-Eicosenoic acid, rat testicular lipids, 179
Elaidic acid, reverse phase HPLC *p*-bromophenacyl ester, 814
Elaidic acid, dideutero, incorporation, human plasma, RBC lipids, 135
—— synthesis, detection GC-MS, 135
Electrolytic coupling, synthesis of bile alcohols, 148
Electrophoresis, lymph, 848
—— plasma lipoproteins, 628
Elongation, 18:2, effect of glucagon, diBu-c-AMP, epinephrine, 833
—— of fatty acids in rat liver microsomes, 241
Embryogenesis, amphibian, fatty acid synthesis in, 291
Endoperoxides, malonaldehyde precursors, mass spectra, 370
Enzymes, phospholipid metabolism, lung subcellular particles, 109
Epinephrine, 18:2 elongation and desaturation in rat liver microsomes, 833
Equilibrium dialysis, background density of equine and human serum, 752
Equivalent chain length, capillary GLC, branched chain fatty acids, 781
5α-Ergosta-8,14-dienol, metabolism, *O. malhamensis,* 634
Ergosterol, yeast lipid, 340
Erucic acid, in alpine *Cruciferae,* 877
—— cardiac lesions, rat, 545
—— dietary, cardiac fatty acids, cardiac necrosis, rats, 9
—— dietary effects in rat, 287
—— effect on lipid level and oxidation in rat heart and liver, 670
—— rat heart, dietary rapeseed oil, 6
Erythrocytes, man, animals, plant sterols, 581
—— tocopherol anal, 530
Erythrocyte phospholipids, fatty acid profile, during intravenous feeding, 299
Escherichia coli. See Bacteria, gram-negative
Essential fatty acids, deficiency in man during intravenous feeding, 299
—— metabolism, rat tissues, eicosa-5, 8, 11, 14-tetraynoic acid, 143
Ester bonds, dtmn, chemical, IR, kamala seed oil, 87
Esterase, acid, assay, rat liver, 718
Esterification, cholesterol, rat hepatoma, rabbit aorta, 97
Ethanol, effect on choline requirement, 641
—— effect on fat absorption, 848
—— effect on rat liver PE methyltransferase activities, 641
Ethanolamine, Ca^{2+} stimulated incorporation into rat brain PL, 823
Ethanolamine kinase, bovine mammary gland, purification assay, 727
Ethers, glyceryl, stomach oils of 16 species of petrel, GLC, TLC, 423
24-Ethylcholesterol, tracheophytes, configuration at C-24, NMR, 118
Excretion, cholesterol, rat, oral, IP administration, 610
Extraction, bacterial lipids, Bligh and Dyer, 364
—— bile acids from bile and feces, hydrolysis, 845
—— bile pigments and glycodihydrofusidate metabolites, 408
—— Bligh and Dyer, fish and benthic fauna, 863
—— Bligh and Dyer, plankton, 858
—— dimer acids, rat feces, lymph, tissues, 763
—— Folch, *Neurospora crassa,* 778
—— lipids of lyophilized whole plasma and lipoproteins, 462
—— lipofuscin from tissues, 412
—— methlylal-methanol, gut, 848
—— mycelial lipids, 741
—— non-esterified fatty acids, 418
—— porcine aorta cells, 791
—— prostaglandins, rat kidney medulla, 693
—— Roese-Gottlieb, milk fat, 705
—— squalene, 430
—— yeast lipids, 340, 837
—— yeast lipids, homogenization techniques, 821

F

Familial hypercholesterolemia, glycolipid pattern of lipoproteins, 462
Familial hyperlipoproteinemia, plasma lipid fatty acid variability in twins, 722
Fasting, fatty acid biosynthesis, liver, ileum, lung, guinea pig, 571
—— sterol synthesis, liver, ileum, lung, guinea pig, 571
Fat absorption, effect of ethanol, 848
—— phospholipid exchange activity, rat intestinal mucosa, 16
Fat, dietary, and induced tumors in rats, 328
—— phospholipid exchange activity, rat intestinal mucosa, 16
—— triglycerides, phospholipids, ruminant, porcine, fatty acid distribution, 49
Fatty acid, branched chain, hydroxy acids in flavobacteria, 685
Fatty acid, chain elongation, and desaturation, 241
Fatty acid cyclic monomers, nutritional effects in rats, 349
Fatty acid, cyclopropene, effect on rat liver and brain lipids, 802
Fatty acid desaturase, effect of sterculic acid, 802
Fatty acid desaturation, in alpine *Cruciferae,* 877
—— and chain elongation, 241
Fatty acid distribution, kamala seed oil, lipase hydrolysis, 87
—— positional plasma lipids, dietary polyunsaturated pork, 42
—— positional, triglycerides, phospholipids, ruminant, porcine, 49
Fatty acid elongation, in alpine *Cruciferae,* 877
Fatty acid metabolism, rat liver microsomes, 241
—— rat tissues, eicosa-5, 8, 11, 14-tetraynoic acid, 143

Fatty acid, methyl esters, argentation TLC, radio-gas chromatography, 67
—— rat liver, argentation TLC, 61
Fatty acid profile, amphibian egg, amphibian embryo, tadpole, 291
—— amphipod *P. femorata* (Kröyer), 863
—— barley wax esters, 478
—— brain lipids, sphingolipids in rats fed sterculate, 802
—— carp liver TL, PL, effect of temperature, 401
—— crayfish muscle, 307
—— *Cruciferae,* 11 alpine species, 877
—— *Eimeria tenella* oocyst lipids, 209
—— erythrocyte phospholipids, during intravenous feeding, 299
—— flavobacteria, 685
—— *Gentianaceae,* an alpine specie, 877
—— hamster lung lipids, 491
—— human plasma cholesteryl esters in twins, 722
—— human plasma, during intravenous feeding, 299
—— human plasma total lipids in twins, 722
—— kamala seed oil, 87
—— *Leguminosae,* an alpine specie, 877
—— liver PL, sphingomyelin, TG in rats fed sterculate, 802
—— mold PA, DPG, PC, PS, PE, 778
—— mold sterol esters, TG and FFA, 778
—— mosquito lysoPC, PC, PS, PI and PE, 697
—— mouse spleen, virus infected, 798
—— neutral lipids, mosquito cell cultures, aging, 21
—— neutral lipids muscle from cardiomyopathic hamster, 747
—— neutral lipids, phospholipids, mosquito cell cultures, aging, 28
—— normal and high 18:2 butter, 449
—— plasma lipids, dietary polyunsaturated pork, 42
—— rat heart, dietary fat, 9
—— rat heart lipid, microsomal lipid, mitochondria, 287
—— rat mammary phospholipids and triglycerides, 322
—— rat testicular lipids, 179
—— rat testis TG, CE, PC, and total lipid, effect of diet, 357
—— rat tissue lipids, eicosa-5, 8, 11, 14-tetraynoic acid, 143
—— *Rosaceae,* an alpine specie, 877
—— *Saxifragaceae,* 4 alpine species, 877
—— spadefish liver, 247
—— sponges, 567
—— TG cardiomyopathic hamster heart, 747
—— triglycerides phospholipids, ruminant, porcine, dietary fat, 42
—— triglycerides, wax esters, petrel stomach oils, 423
—— white stork uropygial gland waxes, 816
—— yeast, 23 species, 837
—— yellow clam, 334
Fatty acid synthesis, effect of ketone bodies in mammary gland, 774
—— in yellow clam, 334
Fatty acid synthetase, activity, swine tissues, 34
—— effect of dietary 18:2 and 18:3, 485
Fatty acids, ^{13}C nuclear magnetic resonance spectroscopy, 228
—— chromatography, gas-liquid-mass spectrometry, 247
—— desaturation, normal, cancerous tissue, 79
—— human feces, extraction, GLC, 637
—— human plasma, RBC, incorporation, 135
—— incorporation, lung lipids, 491
—— inhibition of absorption by PC vs. LPC, 830
—— mass spectra, 209
—— odd chain-length, in fish and benthic fauna, 863
—— odd chain-length, monoenoic, 871
—— structure dtmn, 228
—— synthesis, age related, Fisher 344 rats, 623
—— turnover, rat liver phospholipids, 61
Fatty acids, amide-linked, 3-hydroxy in flavobacteria, 685
Fatty acids anteiso, capillary GLC, *Vernix caseosa,* 781
Fatty acids, branched, capillary GLC, *Vernix caseosa,* 781
—— identification GC-MS, 72
—— isolation, urea adduction, 72
—— oxidation, isoprenoid alkanes, mycobacterium, 72
—— preparation, 72
Fatty acids, biosynthesis, in amphibian during embryogenesis, 291
—— liver, ileum, lung, guinea pig, 571
—— swine tissues, 34
Fatty acids, p-bromophenacyl esters, reverse phase HPLC, 814
Fatty acids, 1-^{14}C, incorporation during amphibian embryogenesis, 291
Fatty acids, cyclopropene, effect on comp of milk fat, cow, goat, 705
Fatty acids, dimeric, preparation, purification, characterization, 763
Fatty acids, free, albumin-bound, utilization by liver, 83
—— metabolism in the mouse, essential, non-essential, 818
Fatty acids, hydroxy, in flavobacteria, 685
—— in kamala seed oil, distribution, GLC silyl ethers, 87
Fatty acids, α-hydroxy, diester waxes, white stork, 816
Fatty acids, 3-hydroxy, synthesis, 235
Fatty acids, iso, capillary GLC, *Vernix caseosa,* 781
Fatty acids, isomeric, rat testicular lipids, 179
Fatty acids, long chain, fecal, colon cancer, 637
—— sponges, 567
Fatty acids, polyunsaturated, autoxidation in liposomal suspensions, 808
—— biosynthesis, developing rat brain, 67
—— "protected," in ruminants, 662
—— temperature dependent synthesis in carp, 401
Fatty acids, saturated, dietary, effect on rat tissue lipids, 272
—— dietary, effect on serum lecithin: cholesterol acyl transferase activity, 272
—— effect on cholesteryl ester synthesis and hydrolysis, 357
Fatty acids, trans, dietary, effect on rat tissue lipids, 272
—— dietary effect on serum lecithin:cholesterol acyl transferase activity, 272
—— effect on cholesteryl ester synthesis and hydrolysis, 357
—— reverse phase HPLC *p*-bromophenacyl ester, 814
—— tumor lipids, 578
Fatty acids, unsaturated, double bond location, identification, structure dtmn, 222
—— metabolism, yellow clam, 561
Fatty alcohol profile, barley wax esters, 478
—— wax esters, petrel stomach oils, 423
Fatty alcohols, oocysts of *Eimeria tenella,* 209
—— oxidation, 587
—— rat, absorption, transport, 587
Fatty alcohols, long chain, cell culture, 172
—— mass spectra, 209
Fatty liver, drug induced, 718
Feces, human, extraction of fatty acids, 637
—— human, fatty acid profile, 637
—— rat, dimer acid extraction, 763
Fish, fatty acid biosynthesis in the carp, 401
—— food chains, 863
—— smelt, dietary source of odd chain-length fatty acids, 863
—— smelt, odd chain-length fatty acids, 871
Flavobacteria, 2- and 3-hydroxy fatty acids, 685
Fluorometry, of tissue tocopherol, 530
Formonentin. See Isoflavones
Fractional chain length, of methyl branches, 781
Free fatty acids, mosquito cell cultures, fatty acid profile, aging, 21
Free-radical, methyl, reaction with α-tocopherol, 380
—— peroxidizing lipid and amino acids, 392
Fu 5AH rat hepatoma. See Hepatoma
Fungi, mycelia, phospholipase activity, assay, 553
—— thermophilic, phospholipid comp, fatty acid profile, 741

G

G_{M2}**-gangliosidosis,** lysobiphosphatidic acid, brain, liver, 539
Gangliosido, G_{M3}, human plasma and lipoproteins, 462
Gas chromatography-mass spectrometry, fatty acids, 247
Gas-liquid chromatography. See Chromatography, gas-liquid
Geranylgeraniol, in *N. crassa,* 778
Gland, proventiculous, stomach oils of petrel, 423
Gliadin, ESR spectra with peroxidizing lipid, 392
Globicephala melaena melaena. See Pilot whale
Globoside, in human lipoproteins and whole plasma, 462
Glucagon, 18:2 elongation and desaturation in rat liver microsomes, 833
Glucose-6-phosphate dehydrogenase, activity, swine tissues, 34
—— assay, sheep adipose, 662
—— effect of dietary 18:2 and 18:3, 485
Glucose-U-^{14}C, cholesterol, fatty acid biosynthesis, swine tissues, 34
—— fatty acids, glycerol biosynthesis, swine tissues, 34
Glucosyl ceramide, in human lipoproteins and whole plasma, 462
Glutathione, ESR spectra with peroxidizing lipid, 392
Glyceride structure, kamala seed oil, 87
Glycerol, dtmn, kamala seed oil, 87
—— incorporation, lung lipids, 491
—— turnover, rat liver phospholipids, 61
Glycerol 3-phosphate, glycerolipid synthesis in rabbit heart, 713
Glyceryl ethers, stomach oils of 16 species of petrel, GLC, TLC, 423

Glycodihydrofusidate, biliary excretion in the rat, 408
—— metabolites in bile, 408
Glycolipids, *K. pneumoniae,* TLC, 364
—— rat sciatic nerve, thin-layer densitometry, 506
Goat milk, effects of "protected" cyclopropene fatty acids on comp, 705
Gram, hypolipidemic principle, isoflavones, 243
Ground nut, phospholipase D isolation and assay, 442
Guinea pig, sterol synthesis, liver, ileum, lung, 571
Gymnosperms, methyl, ethylcholesterols, configuration at C-24, 118

H

Haliclona. See Sponge
Halicondria. See Sponge
Hamster, bile acid metabolism, 845
—— BIO 82.62 cardiomyopathic, 747
—— heart, lipid content and FA comp, 747
—— lung, perfused, lipid biosynthesis, 491
—— muscle, lipid content and FA comp, 747
Heart, hamster, lipid content and FA comp, 747
—— rabbit, effect of atherogenic diets on cholesterol levels, 449
—— rabbit, glycerolipid biosynthesis, 713
—— swine, cholesterol, fatty acid biosynthesis, 34
—— tocopherol anal, 530
Heart lesions, rat, rapeseed oils, erucic acid, linolenic acid, 545
Heart lipids, rat, effect of dietary saturated and dietary *trans* fatty acids, 272
Heart, rat, fatty acid profile, eicosa-5, 8, 11, 14-tetraynoic acid, 143
—— histopathology, 545
—— rapeseed oil effect on lipid level and oxidation, 670
HeLa cells, pentadecan-2-one, 172
Heparin-manganese chloride, precipitation of low density lipoproteins, 628
Hepatoma, rat, cells in culture, cholesterol metabolism, 97
Heptadecenoic acid, amphipods and smelt, 871
—— ω 8 in benthic fauna, 863
Hexadecan-3-one, cell culture, 172
Hexedecanol, absorption, oxidation, transport, 587
trans-6-Hexadecenoic acid, spadefish liver, 247
Hexestrol, bis-β-diethylaminoethylether, lipidosis, liver, kidney lipids, 616
Hexokinase, assay, sheep adipose, 662
Histidine, ESR spectra with peroxidizing lipid, 392
—— essentiality in man, 299
Histology, cardiomyopathic hamster heart and muscle, 747
—— rat heart, rapeseed oil, 670
Homo-azasteroids, minimal inhibitory concentration for yeasts and bacteria, 755
Homochlorocyclizine, lipidosis, liver, kidney lipids, 616
Horse, serum, background density for lipoprotein ultracentrifugation, 752
Human seminal vesicles, PGE_1 synthesis, 249
Humicola lanuginosa. See Thermophilic fungi
Hydrocarbons, algal lipids, 258
Hydrolysis, cholesteryl esters, rat hepatoma, 97
Hydroperoxide, linoleic, N-acetylcysteine addition, iron catalyzed, 127
Hydroperoxide, lipid, arachidonic, γ-linolenic, preparation, purification, HPLC, TLC, 113
13-Hydroperoxy-trans-11, is-9-octadecadienoic acid. See Linoleic acid hydroperoxide
2-Hydroxy decanoic acid, white stork uropygial gland waxes, 816
2-Hydroxy dodecanoic acid, white stork uropygial gland waxes, 816
3-Hydroxy, 3-methyl glutaryl CoA reductase, liver microsomes, Fisher 344 rats, age related, 623
3-Hydroxy-3-methylglutaric acid, alcohol induced lipemia, inhibition, 526
3-Hydroxy, 15-methylhexadecanoic acid, in flavobacteria, 685
2-Hydroxy,13-methyltetradecanoic acid, in flavobacteria, 685
3-Hydroxy,13-methyltetradecanoic acid, in flavobacteria, 685
18-Hydroxy-9, 11, 13-octadecatrienoic acid. See Kamlolenic acid
3-Hydroxy palmitic acid, in flavobacteria, 685
2-Hydroxy tetradecanoic acid, white stork uropygial gland waxes, 816
3-Hydroxybutyrate, fatty acid biosynthesis in rat mammary gland, 774
Hydroxyl value, kamala seed oil, 87
Hydroxylamine, total ester dtmn, 87
Hydroxylation, bile alcohols, liver microsomes, rabbit, monkey, man, 148
Hydroxystearic acids, methyl esters, GC-MS, 599
—— $NaBH_4$ reduction of acetylenic acids, 599
Hypercholesterolemia, azasterols and nitrogen-containing steroids, 755
—— familial, glycolipid pattern of lipoproteins, 462
—— inhibition of sterolgenesis by di-2-ethylhexyl phthalate, 769
—— man, plasma, erythrocyte plant sterols, 581
Hyperlipemia, Triton-induced in the rat, 384
Hyperlipoproteinemia, familial, plasma lipid fatty acid variability in twins, 722
Hypertriglyceridemia, man, plasma, erythrocyte plant sterols, 581

I

Ileum, guinea pig, sterol synthesis, feed back control, 571
—— rat, bile acid absorption, mucosal uptake, serosal transfer, 467
Immunodiffusion, detection of serum proteins, 752
—— plasma lipoproteins, 628
Infantile neuronal ceroid lipofuscinosis, lysobiphosphatidic acid, brain liver, 539
Infection, viral, mouse spleen, 798
Infrared spectra. See Spectra, infrared
Intestinal absorption, rat, fatty alcohols, 587
Intestine, guinea pig, sterol synthesis, 281
—— small, rat, bile acid absorption, mucosal uptake, serosal transfer, 467
—— small, swine, cholesterol, fatty acid biosynthesis, 34
Intestine, mucosa, rat phospholipid exchange activity, protein isolation, 16
Intestine, rat, bile acids, pool size, 93
—— cholesterol, oral, IP administration, 610
—— effect of ethanol on fat absorption, 848
—— lipid absorption, 830
—— lipid infusion, 652
Intravenous alimentation, nutrient interrelationships. review, 299
Iotrochota. See Sponge
Iron, linoleic acid hydroperoxide-thiol addition catalysis, 127
Isocitrate, dehydrogenase, fatty acid biosynthesis in rat mammary gland, 774
Isodictya. See Sponge
Isoelectric focusing, protein, rat intestinal mucosa, phospholipid exchange activity, 16
Isoflavones, in gram, 243
—— hypolipidemic effect in rats, 243
Isotope dilution analysis, bile acids, 845
Isovaleric acid, triglycerides, pilot whale, melon, 153

J

Jeddore Harbour, amphipods and smelt, odd chain fatty acids, 871
Jejunum, rat, bile acid absorption, mucosal uptake, serosal transfer, 467

K

Kamala seed oil, fatty acid distribution lipase hydrolysis, 87
—— fatty acid profile, 87
—— fractionation, acetone crystallization, 87
—— glyceride structure, dtmn, 87
—— TLC, UV, IR, NMR, molecular weight, 87
Kamlolenic acid, in kamala seed oil, distribution, 87
Ketone bodies, fatty acid biosynthesis in rat mammary gland, 774
Ketones, long chain methyl. See Pentadecan-2-one
Kidney, tocopherol anal, 530
Kidney, rat, cholesterol, oral, IP administration, 610
—— lipid profile, drug induced lipidosis, 616
—— fatty acid profile, eicosa-5, 8, 11, 14-tetraynoic, acid, 143
—— necrosis of papilla in EFA-deficiency, 693
—— prostaglandin E_2 synthesis, EFA deficiency, 693
Kidney lipids, rat, effect of dietary saturated and dietary *trans* fatty acids, 272

L

Lactalbumin, ESR spectra with peroxidizing lipid, 392
Lactate, fatty acid biosynthesis in rat mammary gland, 774
Lactation, effect on lipolysis in rat adipose tissue, 418
—— effect on rat mammary lipids, 322
Lactosyl ceramide, in human lipoproteins and whole plasma, 462

Lamellar bodies, lung, isolation, enzymes, phospholipid metabolism, 109
Lanosterol, binding to brain and liver cytosol proteins, 645
—— plasma, man, animals, 581
—— yeast lipid, 340
Lard, dietary, cardiac fatty acids, cardiac necrosis, rats, 9
Lecithin, plasma, fatty acid distribution, positional, dietary polyunsaturated pork, 42
Lecithin:cholesterol acyltransferase, heat inactivation, 752
—— rat plasma, inhibition, Triton, WR1339, 517
—— rat serum, effect of dietary saturated and dietary *trans* fatty acids, 272
—— rat testis, 357
Lesions, heart, rat, rapeseed oils, erucic acid, linolenic acid, 545
Linoleadic acid, reverse phase HPLC *p*-bromophenacyl ester, 814
Linoleamide. See (−)N-[α-phenyl-β-(p-tolyl)ethyl] linoleamide
Linoleic acid, control of elongation and desaturation, 833
—— free fatty acid metabolism in the mouse, 818
—— metabolism, yellow clam, 561
—— reverse phase HPLC *p*-bromophenacyl ester, 814
—— turnover, rat liver phospholipids, 61
trans, trans-Linoleic acid, reverse phase HPLC *p*-bromophenacyl ester, 814
Linoleic acid, dietary, effect on adipose tissue lipogenesis, 485
—— effect on hepatic fatty acid synthesis, 485
—— effect on linolenic acid metabolism, 194
Linoleic acid hydroperoxide, N-acetylcysteine addition, iron catalyzed, 127
Linolenic acid, in alpine *Cruciferae,* 877
—— autoxidation on silica gel, 472
—— cardiac lesions, rat, 545
—— metabolism, developing rat brain, 67
—— metabolism, yellow clam, 561
—— reverse phase HPLC *p*-bromophenacyl ester, 814
γ-Linolenic acid, hydroperoxide, preparation, purification, 113
—— in maple seed oil, 157
—— production from linoleic acid, control, 833
—— reverse phase HPLC *p*-bromophenacyl ester, 814
Linolenic acid-$^{14}C_1$, incorporation into rat lipids, 194
—— metabolism, rat, 194
Linolenic acid, dietary, effect on adipose tissue lipogenesis, 485
—— effect on hepatic fatty acid synthesis, 485
Lipase, acting on 1-lysophosphatidyl choline, 442
—— reversal of action for ^{14}C-labeling, 421
—— *Rhizopus delemar,* 421
—— snake venom, hydrolysis egg yolk phospholipids, 676
Lipase, acid, effect of 4,4′-diethylaminoethoxy-hexestrol in rat liver, 718
Lipase hydrolysis, fatty acid distribution, kamala seed oil, 87
Lipase, pancreatic, effect of ethanol, 848
—— hydrolysis of TG, 676
—— role in fat and bile acid absorption, 830
Lipemia, alcohol induced, inhibition by 3-hydroxy-3-methylglutaric acid, 526
Lipid biosynthesis, effect of di-2-ethylhexyl phthalate, 216
Lipid classes, plankton, 858
Lipid composition, liver, alcohol induced lipemia, 526
—— pilot whale, melon, 153
—— rat sciatic nerve, 506
—— serum, alcohol induced lipemia, 526
—— very low density lipoproteins, rat plasma, 517
Lipid hydroperoxide, arachidonic, γ-linolenic, preparation, purification, 113
Lipid metabolism, age related, Fisher 344 rats, 623
—— human plasma, RBC, deuterated fatty acids, 135
Lipid profile, mosquito cell cultures, aging, 28
—— neutral, mosquito cell cultures, 21
—— rat liver, kidney, drug induced lipidosis, 616
Lipidosis, cardiomyopathic hamster heart, 747
—— drug induced, rat liver, kidney lipids, 616
Lipids, accumulation in anaerobic cell culture, 791
—— cuticle, Mormon cricket, isolation, characterization, 77
—— plasma, anal, 203
—— rat aorta, effect of isoflavones, 243
—— rat serum, effect of isoflavones, 243
—— rat testes, dietary isomeric fatty acids, 179
—— yellow clam, seasonal variation, 334
Lipofuscin, column chromatography, Sephadex LH-20, 412
Lipogenesis, adipose tissue, effect of dietary 18:2 and 18:3, 485
—— fatty acid biosynthesis in carp, effect of temperature, 401
—— hepatic, effect of dietary 18:2 and 18:3, 485
—— sheep, adipose tissue, effect of dietary fats, 662
—— swine tissues, enzyme activity, 34
Lipoproteins, background density of equine and human serum, 752
—— dextran sulfate precipitation, 430
—— plasma, ultracentrifugation, electrophoresis, immunodiffusion, 628
—— serum, cholesterol esters, incorporation by cultured cells, 97
Lipoproteins, HDL, cholesterol assay, 628
Lipoproteins, HDL_2, glycolipid comp, 462
Lipoproteins, HDL_3, glycolipid comp, 462
Lipoproteins, LDL, glycolipid comp, 462
—— postprandial squalene level, 430
—— precipitation, heparin-manganese chloride, 628
Lipoproteins, VLDL, electrophoresis, 848
—— glycolipid comp, 462
—— postprandial squalene level, 430
—— rat plasma, lipid comp, 517
—— rat plasma, secretion, sex effect, 517
—— rat plasma, zonal ultracentrifugation, 517
—— triglyceride fatty acid distribution, positional, dietary polyunsaturated pork, 42
Liposomes, assay of phospholipid exchange activity, rat intestinal mucosa, 16
—— autoxidation, effect of DNA, diene conjugation, 808
—— preparation, egg PC and 20:4 methyl ester, 808
Lipoxygenase, soybean lipid, hydroperoxides, preparation, 113
Lissodendoryx. See Sponge
Liver, carp, incorporation of ^{14}C-acetate into lipids, 401
—— guinea pig, sterol synthesis, 281
—— guinea pig, sterol synthesis, feed back control, 571
—— human, storage diseases, lysobiphosphatidic acid content, 539
—— perfused, uptake of non-esterified fatty acids, 83
—— rabbit, effect of atherogenic diets on cholesterol and vitamin E levels, 449
—— tocopherol anal, 530
—— triglycerides, sheep, fatty acid distribution, positional, 49
—— swine, cholesterol, fatty acid biosynthesis, 34
Liver cholesterol, age related, Fisher 344 rats, 623
Liver lipids, alcohol induced lipemia, 526
—— mouse, human ovarian tumor transplant, 159
—— rat, effect of dietary saturated and dietary *trans* fatty acids, 272
Liver microsomes, man, rabbit, monkey, hydroxylation bile alcohols, 148
Liver microsomes, rat, cholesterol 7α hydroxylase, age related, 623
—— 3-hydroxy, 3-methyl glutaryl CoA reductase, age related, 623
—— molecular species of cytidine diphosphate, 251
Liver, rat, acyl CoA: 1-acyl-*SN*-glycero-3-phosphorylinositol acyltransferase specificity, 1
—— bile acids, pool size, 93
—— binding of squalene and sterols to cytosol proteins, 645
—— cholesterol, oral, IP administration, 610
—— effect of dietary fats on drug metabolism, 736
—— effect of ethanol on PE methyltransferase activities, 641
—— effect of postnatal sterculate on fatty acid comp, 802
—— fatty acid profile, eicosa-5, 8, 11, 14-tetraynoic acid, 143
—— fatty acid synthesis, effect of dietary 18:2 and 18:3, 485
—— lipid profile, drug induced lipidosis, 616
—— lipids, 167
—— microsomal elongation and desaturation of 18:2ω6, 833
—— phosphatidyl ethanolamine, N-methyl substituted, assay, 513
—— phosphatidyl inositol synthesis, 1
—— phospholipid biosynthesis, serine, base exchange, 498
—— phospholipidosis, 4,4′-diethylaminoethoxyhexestrol induced, 718
—— phospholipids, turnover of constituent, 61
—— rapeseed oil effect on lipid level and oxidation, 670
—— sterolgenesis, inhibition by di-2-ethylhexyl phthalate, 769
Lung, guinea pig, sterol synthesis, 281
—— guinea pig, sterol synthesis, feed back control, 571
—— hamster, lipid classes, fatty acid profile, 491
—— hamster, perfused, lipid biosynthesis, 491
—— phospholipid metabolism, enzymes, subcellular particles, 109
—— rat, perfused, lipid biosynthesis, 491
—— tocopherol anal, 530
Lung surfactant, biosynthesis, 491
Lymph, cannulation, effect of ethanol on fat absorption, 848
—— phospholipids, sheep, fatty acid distribution, positional, 49

—— rat, dimer acid absorption, cannulation, 763
—— triglycerides, sheep, fatty acid distribution, positional, 49
Lysine, ESR spectra with peroxidizing lipid, 392
Lysobisphosphatidic acid, brain, liver, human, storage diseases, 539
Lysophosphatidic acid, acyltransferase specificity in bovine mammary microsomes, 680
—— glycerolipid synthesis in rabbit heart, 713
Lysophosphatidyl choline, fatty acid profile, mosquito cells, 697
Lysophospholipase, bound, fungal mycelia, assay, organic solvent, 553
Lysosomes, effect of 4,4'-diethylaminoethoxyhexestrol in rat liver, 718

M

Malate dehydrogenase (NADP), activity, swine tissues, 34
—— fatty acid biosynthesis in rat mammary gland, 774
Malbranchea pulchella var sulfurea. See Thermophilic fungi
Malic enzyme, effect of dietary 18:2 and 18:3, 485
Mallotus philippinensis. See Kamala
Malonaldehyde, possible mechanism of formation, 370
Malvalic acid, "protected," effect on milk lipid comp, 705
Mammary gland, bovine, choline and ethanolamine kinases, purification, assay, 727
—— lysophosphatidic acid acyltransferase specificity, 680
Mammary gland, rat, effect of ketone bodies on fatty acid synthesis, 774
—— fatty acid profile of phospholipids and triglycerides, 322
—— phospholipids, 322
Man, plasma, lipid fatty acids, mono- and dizygotic twins, 722
—— plasma, normal and postprandial squalene levels, 430
—— sebaceous gland, capillary GLC, branched chain fatty acids, 781
—— serum, background density for lipoprotein ultracentrifugation, 752
Manganese chloride-heparin, precipitation of low density lipoproteins, 628
Maple seed, oil, fatty acid profile, octadecatrienoic acids, 157
Mass fragmentographs, barley wax esters, 478
Mass spectra. See Spectra, mass
McLafferty rearrangement, acetylenic acids, MS, 599
Mesodesma mactroides. See Clam, yellow
Metabolic control, fatty acid elongation and desaturation, 833
Metabolism, 14-^{14}C-erucyl-CoA and 10-^{14}C-oleoyl-CoA, 670
—— dimeric fatty acids in the rat, 763
—— drug, effect of dietary fats, 736
—— effect of dietary 18:2 and 18:3 on lipogenesis, 485
—— free fatty acids in the mouse, essential, nonessential, 818
—— lipid, human plasma, RBC, deuterated fatty acids, 135
—— *cis*-octadecenoates in the chicken, 676
Methionine, incorporation, lung lipids, 491
14α-Methyl-5α-ergost-8-enol, metabolism, *O. malhamensis,* 634
Methyl radical, generation from dimethyl sulfoxide, 380
24-Methylcholesterol, tracheophytes, configuration at C-24, NMR, 118
Microciona prolifera. See Sponge
Microconia. See Sponge
Microsomes, liver, man, rabbit, monkey, hydroxylation bile alcohols, 148
—— lung, enzymes, phospholipid metabolism, 109
Microsomes, rat, brain, Ca^{2+} stimulated base exchange in PL, 823
—— liver, cholesterol 7α hydroxylase, age related, 623
—— liver, fatty acid metabolism, 241
—— liver, 3-hydroxy, 3-methyl glutaryl CoA reductase, age related, 623
—— liver, phosphatidyl inositol synthesis, 1
—— tissues, tocopherol anal, 530
Milk, bovine, effects of "protected" cyclopropene fatty acids on comp, 705
—— caprine, effects of "protected" cyclopropene fatty acids on comp, 705
—— effect of lactation on lipolysis in rat adipose tissue, 418
—— polyunsaturated, influence on atherogenesis in the rabbit, 449
—— triglycerides, goat, cow, fatty acid distribution, positional, 49
Mitochondria, assay of phospholipid exchange activity, rat intestinal mucosa, 16
—— lung, enzymes, phospholipid metabolism, 109
—— rat tissues, tocopherol anal, 530
Mitochondrial respiration, azasterols and nitrogen-containing steroids, 755
Mixed function oxidase, effect of dietary fats on drug metabolism, 736
Molecular species, phosphatidyl inositol, rat liver, synthesis, fractionation, 1
Molecular weight, cryoscopic, kamala seed oil, 87
Monoacyl-SN-glycerol-3-phosphate acyltransferase, specificity, bovine mammary microsomes, 680
bis-(Monoacylglycerol)phosphate, drug induced hepatic phospholipidosis, 718
Monoazasterols, minimal inhibitory concentration for yeasts and bacteria, 755
Monoenoic acids, maple seed oil, structure, 157
Monoglycerides, mosquito cell cultures, fatty acid profile, aging, 21
Monomers, fatty acid cyclic, nutritional effects in rats, 349
Mosquito, fatty acid profile of lysoPC, PC, PS, PI and PE, 697
Mosquito, cell cultures, neutral lipids, fatty acid profile, aging, 21
—— neutral lipids, phospholipids, fatty acid profile, aging, 28
Mouse, blood, sequential sampling techniques, orbital venous sinus, 818
—— spleen, Rauscher Leukemia Virus infection, 798
Mucor javanicus, phospholipase activity, assay, 553
Mucosa, rat, cholesterol absorption, 163
—— cholesteryl oleate absorption, 163
—— intestine, phospholipid exchange activity, protein isolation, 16
Multiple ion detection, capillary GLC-mass spectroscopy, 781
β-Muricholic acid, in hamster feces and bile, 845
Muscle, hamster, lipid content and FA comp, 747
—— rabbit, effect of atherogenic diets on cholesterol levels, 449
Musquodobout Harbour, amphipods and smelt, odd chain fatty acids, 871
Mycale. See Sponge
Mycelia, fungal, phospholipase activity, assay, 553
Mycobacterium fortuitum, oxidation isoprenoid alkanes, 72
Myocardium, rat, lipidosis, necrosis, dietary rapeseed oil, 6
Myoglobin, ESR spectra with peroxidizing lipid, 392
Mysis stenolepsis. See amphipods

N

N-acetylcysteine, linoleic acid hydroperoxide addition, iron catalyzed, 127
(−)N-[α-phenyl-β-(p-tolyl)ethyl] linoleamide, and cholesterol absorption by rat mucosa, 163
—— effect on rat serum and liver lipids, 167
—— cholesterol oleate absorption by rat mucosa, 163
NADP-isocitrate dehydrogenase, assay, sheep adipose, 662
NADP-malate dehydrogenase, assay, sheep adipose, 662
Necrosis, cardiac, rat, dietary fat, 9
—— rat, rapeseed oils, erucic acid, linolenic acid, 545
Nerve, rat sciatic, lipid comp, 506
Neutral lipids, human plasma, RBC, fatty acid incorporation, 135
—— mosquito cell cultures, fatty acid profile, aging, 21, 28
—— rat sciatic nerve, thin-layer densitometry, 506
Nicotinic acid, alcohol induced lipemia, inhibition, 526
Nitroxide, N-methyl-γ-tocopheramine, electron paramagnetic resonance spectra, 296
—— preparation from tocopheramine, 296
Nocardia asteroides. See Bacteria, gram-negative
Nonadecenoic acid, amphipods and smelt, 871
Nuclear magnetic resonance spectra. See Spectra, nuclear magnetic resonance
Nuclei, rat tissues, tocopherol anal, 530

O

$^1O_2$, ozonolysis of isopropyl ether, 472
O-alkylglyceryl ethers, transport of fatty alcohols, 587
Ochromonas malhamensis, sterol metabolism, 634
Octadecanoate, methyl, nuclear magnetic resonance spectroscopy, 228
Octadecapentaenoic acid, in plankton, capillary GLC, 858
Octadecatetraenoic acid, in plankton, capillary GLC, 858
Octadecatrienoic acids, maple seed oil, structure, 157
cis-Octadecenoates, Δ^6, Δ^9, Δ^{11}, Δ^{12}, metabolism in the chicken, 676
Octadecenoic acid, deuterated, synthesis, 594
—— *cis-trans* isomerization, 594
—— mass spectra, IR, NMR, 594
—— methyl esters, GC-MS, 599

Octanoyl-CoA, cleavage in rat liver cytoplasm, 235
Oilseeds, *Cruciferae,* 11 species, fatty acid profile, 877
—— *Gentianaceae, Leguminosae, Rosaceae,* fatty acid profile, 877
—— *Saxifragaceae,* 4 species, fatty acid profile, 877
—— *Sterculia foetida* cyclopropene fatty acids, 705
—— tea, tirucalla-7,24-dienol content, 434
Oleate, methyl, nuclear magnetic resonance spectroscopy, 228
Oleic acid, absorption in progeny of protein-deficient rats, 652
—— deuterated, synthesis, MS, IR, NMR, 594
—— fecal, colon cancer, 637
—— *cis-trans* isomerization, 594
—— reverse phase HPLC *p*-bromophenacyl ester, 814
—— tumor lipids, 578
Oleic acid, tetradeutero, incorporation, human plasma, RBC lipids, 135
—— synthesis, detection GC-MS, 135
Olive oil, effect on rat heart lipids, 287
Oocysts, Eimeria tenella, cholesterol, fatty alcohols, lipids, 209
Orbital venous sinus, sequential blood sampling in the mouse, 818
Osmerus mordax. See smelt and/or fish
Ovalbumin, ESR spectra with peroxidizing lipid, 392
Ovarian tumor, human, liver lipid metabolism, mice, 159
Ovary, normal, cancerous, fatty acyl desaturase activity, 79
Ovine adipose, metabolism, effect of dietary fats, 662
Ovolecithin. See Phosphatidylcholine, egg, 808
Oxidation, isoprenoid alkanes, by *Mycobacterium fortuitum,* 72
Oxidative phosphorylation, azasterols and nitrogen-containing steroids, 755
Oxinella. See Sponge
Oxostearic acids, methyl esters, GC-MS, 599
—— oxymercuration of acetylenic acids, 599
Oxymercuration, acetylenic acids, 599
—— unsaturated fatty acids, structure dtmn, 222
Ozonolysis, reductive, fatty acids, 689

P

Palmitelaidic acid, reverse phase HPLC *p*-bromophenacyl ester, 814
Palmitic acid, free fatty acid metabolism in the mouse, 818
—— incorporation, lung lipids, 491
Palmitoyl CoA-glycerol-3-phosphate acyltransferase, lung subcellular particles, 109
Pancreatic insufficiency, role in fat and bile acid absorption, 830
Pancreatic lipase, effect of ethanol, 848
—— hydrolysis of TG, 676
Pancreatic phospholipase, role in fat and bile acid absorption, 830
Paper chromatography. See Chromatography, paper
Parasites, chicken. See *Eimeria tenella*
Partition coefficients, octanol-water, clofibrate analogs, 384
Parturition, effect on rat mammary lipids, 322
Peanut, phospholipase D isolation and assay, 442
Pentadecan-2-one, cell culture, HeLa cells, purification, 172
Pentadecenoic acid, amphipods and smelt, 871
—— ω 4, ω 6, ω 8 in benthic fauna, 863
Pentobarbitone, effect of dietary fats on drug metabolism, 736
Perfusion, lung, for lipid metabolism, 491
Petrel, stomach oil lipids, 16 species, TLC, GLC, 423
Petroselinate, methyl, nuclear magnetic resonance spectroscopy, 228
Petroselinic acid, reverse phase HPLC *p*-bromophenacyl ester, 814
PGE test, autoxidation reaction solutions, 370
Phaeodactylum tricornutum, labeling of polyunsaturated acids, 561
Phosphatidate phosphohydrolase, lung subcellular particles, 109
Phosphatidic acid, glycerolipid synthesis in rabbit heart, 713
—— in thermophilic fungi, 741
Phosphatidyl choline, biliary excretion after glycodihydrofusidate injection, 408
—— biosynthesis, perfused lung, 491
—— Ca^{2+} stimulated base exchange in rat brain, 823
—— crayfish, and fatty acids, 307
—— effect of ethanol on synthesis in rat liver, 641
—— egg, liposome autoxidation, 808
—— exchange activity, rat intestinal mucosa, isolation, assay, 16
—— fatty acid profile, mosquito cells, 697
—— inhibition of fatty acid and bile acid absorption, 830
—— interaction with phospholipase D, 604
—— introduction of labeled fatty acid in position 1, 421
—— micelle formation in intestine, 830
—— mouse spleen, virus infected, 798
—— rat liver, biosynthesis, from serine, 498
—— in succinate-grown *K. pneumoniae,* 364
—— in thermophilic fungi, 741
—— tumors, octadecenoic acids, isomeric, 578
—— in yeast, 30 species, 837
Phosphatidyl ethanolamine, biosynthesis, perfused lung, 491
—— Ca^{2+} stimulated base exchange in rat brain, 823
—— crayfish, and fatty acids, 307
—— effect of ethanol on methyltransferase activity, 641
—— fatty acid profile, mosquito cells, 697
—— introduction of labeled fatty acid in position, 1, 421
—— N-methyl substituted, rat liver, assay, 513
—— rat liver, biosynthesis, from serine, 498
—— rat liver, fatty acids, 194
—— in thermophilic fungi, 741
—— tumors, octadecenoic acids, isomeric, 578
Phosphatidyl ethanolamine S-adenosyl methionine methyltransferase, assay, 641
Phosphatidyl inositol, fatty acid profile, mosquito cells, 697
—— molecular species, fractionation, argentation TLC, 1
—— molecular species, synthesis, rat liver microsomes, 1
—— synthesis, rat liver, 251
—— in thermophilic fungi, 741
Phosphatidyl inositol, arachidonyl, synthesis, rat liver microsomes, 1
Phosphatidyl-N-methylaminoethanol, rat liver, assay, isotope dilution, purification, TLC, 513
Phosphatidyl-N,N-dimethylaminoethanol, rat liver, assay, isotope dilution, purification, TLC, 513
Phosphatidyl serine, Ca^{2+} stimulated base exchange in rat brain, 823
—— crayfish, and fatty acids, 307
—— fatty acid profile, mosquito cells, 697
—— rat liver, biosynthesis, half-life, 498
—— rat liver, decarboxylation, 498
—— in thermophilic fungi, 741
6-Phosphogluconate dehydrogenase, activity, swine tissues, 34
—— assay, sheep adipose, 662
Phospholipase, acting on 1-lysophosphatidyl choline, 442
Phospholipase A, lung subcellular particles, 109
Phospholipase A_1, bound, fungal mycelia, assay, organic solvent, 553
Phospholipase C, hydrolysis, rat liver phospholipids, 498
Phospholipase D, aggreation of subunits, 604
—— bound, fungal mycelia, assay, organic solvent, 553
—— isolation from peanut seeds, assay, 442
—— phosphatidyl choline, dodecylsulfate, Ca interaction, 604
Phospholipase, pancreatic, role in fat and bile acid absorption, 830
Phospholipid metabolism, enzymes, lung subcellular particles, 109
Phospholipid profile, mosquito cells, 697
Phospholipidosis, drug induced, 718
Phospholipids, biosynthesis, perfused lung, 491
—— crayfish muscle, 307
—— detection, spray reagent, TLC, 539
—— exchange activity, rat intestinal mucosa, isolation, assay, 16
—— human plasma, RBC, fatty acid incorporation, 135
—— lymph, bile, sheep, fatty acid distribution, positional, 49
—— mammary gland, rat, 322
—— mosquito cell cultures, fatty acid profile, aging, 28
—— mouse liver, human ovarian tumor transplant, 159
—— serum, alcohol induced lipemia, 526
—— yellow clam, 334
Phospholipids, rat liver, acetolysis, phospholipase C hydrolysis, 498
—— biosynthesis, serine, 498
—— column chromatography, 61
—— fatty acid, phosphorus, glycerol turnover, 61
—— incorporation of linolenic-$^{14}C_1$ acid, 194
—— sciatic nerve, fractionation, 506
—— and serum, 167
—— TLC, 498
Phosphorus, turnover, rat liver phospholipids, 61
Phosphotase, acid, assay, rat liver, 718
Photolysis, apparatus, 853
—— tocols and tocotrienols in 14:0 and 18:2
Phthalate, di-2-ethylhexyl, effect on lipid biosynthesis in rat, 216
—— inhibition of sterolgenesis, 769
Phylogeny, yeast species, lipid comp, 837
Phytoplankton, 18:5ω3, capillary GLC, 858
Pig aorta, cell culture, anaerobic, lipid accumulation, 791
Pilot whale, lipid comp, sound velocity, melon, 153
Pinocytosis, in rat intestine, 652

Plankton, 18:5ω3, capillary GLC, 858
—— phyto- and zoo-, collection, lipid anal, 858
Plant sterols, GC-MS, 581
—— plasma, erythrocytes, man, animals, 581
Plants, theaceous, triterpene alcohols, 434
Plasma, man, animals, plant sterols, 581
—— rabbits, lipid response to atherogenic diet, 449
—— rat, bile acids, pool size, 93
—— rat, very low density lipoprotein, secretion, sex effect, 517
Plasma cholesterol, analytical and physiological variation, 203
Plasma, human, lipid fatty acids, mono- and dizygotic twins, 722
—— lipids, incorporation of deuterated fatty acids, 135
—— lipoproteins, ultracentrifugation, electrophoresis, immunodiffusion, 628
—— normal and postprandial squalene levels, 430
Plasma triglycerides, analytical and physiological variation, 203
Plasmalogens, rat liver sciatic nerve, assay, 506
Plasticizers. See Di-2-ethylhexyl phthalate
Polyunsaturated fatty acids, labeling, in *P. tricornutum,* 561
—— metabolism, yellow clam, 561
Polyunsaturated pork, dietary, plasma lipids, sterol excretion, 42
Pontoporeia femorata (Krøyer). See amphipods
Porcine aorta, cell culture, anaerobic, lipid accumulation, 791
Poriferasterol, synthesis in *O. malhamensis,* 634
Pork, polyunsaturated, dietary, plasma lipids, sterol excretion, 42
Pregnancy, effect on rat mammary lipids, 322
Prenylamine, lipidosis, liver, kidney lipids, 616
Progesterone derivatives, minimal inhibitory concentration for yeasts and bacteria, 755
Prostaglandin, biosynthesis, inhibitory effect of 18:2ω6, 20:3ω9, 693
Prostaglandin E_1, biosynthesis in human seminal vesicles, 249
Prostaglandin E_2, synthesis in kidney of EFA-deficient rats, 693
Protein, deficiency, effect on lipid absorption in progeny, 652
—— phospholipid exchange activity, rat intestinal mucosa, 16
—— specific binding for squalene and sterols, 645
Proton magnetic resonance, cetacean and isovaleryl triglycerides, 189
Proventiculous gland, stomach oils of petrel, 423
Pseudomonas aeruginosa. See Bacteria, gram-negative

R

Rabbit, atherogenic diets, plaque formation in aorta, 449
—— heart, effect of atherogenic diets on cholesterol levels, 449
—— heart, glycerolipid biosynthesis, 713
—— liver, effect of atherogenic diets on cholesterol and vitamin E levels, 449
—— muscle, effect of atherogenic diets on cholesterol levels, 449
—— plasma, lipid response to atherogenic diet, 449
Radioisotopic assay, acyl, alkyl residues, pilot whale melon, lipids, 153
—— prostaglandin E_1 synthesis in human seminal vesicles, 249
Rapeseed oil, cardiac lesions, rat, 545
—— effect on lipid level and oxidation in rat heart and liver, 670
—— effect on rat heart lipid, 287
Rapeseed oil, dietary, cardiac erucic acid, rats, 6
—— cardiac fatty acids, cardiac necrosis, rats, 9
—— cold stress, rats, 6
—— myocardial lipidosis, myocardial necrosis, rats, 6
Rat, adipose tissue, effect of dietary 18:2 and 18:3 on lipogenesis, 485
—— aorta lipids, effect of isoflavones, 243
—— biliary response to glycodihydrofusidate injection, 408
—— dietary fat and induced tumors, 328
—— effects of dietary fatty acid cyclic monomers, 349
—— feces, dimer acid extraction, 763
—— heart lipid, effect of dietary olive oil and dietary rapeseed oil, 287
—— heart lipids, incorporation of linolenic-$^{14}C_1$ acid, 194
—— heart, rapeseed oil effect on lipid level and oxidation, 670
—— ileum, bile acid absorption, mucosal uptake, serosal transfer, 467
—— intestine, effect of ethanol on fat absorption, 848
—— intestine, lipid infusion, 652
—— jejunum, bile acid absorption, mucosal uptake, serosal transfer, 467
—— lactating, effect on lipolysis in adipose, 418
—— lipids, incorporation of acid linolenic-$^{14}C_1$ acid, 194
—— lipids, serum and liver, 167
—— lipofuscin pigments in tissues, 412
—— lung, perfused, lipid biosynthesis, 491
—— lymph, dimer acid absorption, cannulation, 763
—— mammary gland, effect of ketone bodies on fatty acid synthesis, 774
—— mammary gland, phospholipids, 322
—— maternal protein deficiency, lipid absorption in progeny, 652
—— mucosa, absorption of cholesterol and cholesteryl oleate, 163
—— (−)N-[α-phenyl-β-(p-tolyl)ethyl] linoleamide, effect on serum and liver lipids, 167
—— serum lipids, effect of isoflavones, 243
—— sitosterols, serum and liver lipids, 167
—— small intestine, bile acid absorption, mucosal uptake, serosal transfer, 467
—— small intestine, lipid absorption, 830
—— testis, cholesteryl ester synthesis and hydrolysis, 357
—— tissue culture, 216
—— Triton-induced hyperlipemia, 384
Rat brain, binding of squalene and sterols to cytosol proteins, 645
—— Ca^{2+} stimulated base exchange in PL, 823
—— effect of postnatal sterculate on fatty acid comp, 802
—— PUFA biosynthesis from 20:3ω3, 689
Rat kidney, lipid, effect of dietary di-2-ethylhexyl phthalate, 216
—— necrosis of papilla in EFA-deficiency, 693
—— prostaglandin E_2 synthesis, EFA-deficiency, 693
Rat liver, binding of squalene and sterols to cytosol proteins, 645
—— cytoplasm, β-oxidation in, 235
—— effect of dietary fats on drug metabolism, 736
—— effect of ethanol on PE methyltransferase activities, 641
—— effect of postnatal sterculate on fatty acid comp, 802
—— effects of dietary fatty acid cyclic monomers, 349
—— fatty acid synthesis, effect of dietary 18:2 and 18:3, 485
—— lipid, effect of dietary di-2-ethylhexyl phthalate, 216
—— lipids, incorporation of linolenic-$^{14}C_1$ acid, 194
—— microsomal elongation and desaturation of 18:2ω6, 833
—— microsomes, fatty acid metabolism, 241
—— microsomes, molecular species of cytidine diphosphate-diglyceride, 251
—— phosphatidyl inositol, synthesis, 251
—— phospholipid biosynthesis, serine, base exchange, 498
—— phospholipidosis, 4,4′-diethylaminoethoxyhexestrol induced, 718
—— phospholipids, incorporation of linolenic-$^{14}C_1$ acid, 194
—— rapeseed oil effect on lipid level and oxidation, 670
—— sterolgenesis, inhibition by di-2-ethylhexyl phthalate, 769
Rauscher Leukemia Virus, mouse spleen infection, 798
Rectum, normal, cancerous, fatty acyl desaturase activity, 79
Red blood cell, human, lipids, incorporation of deuterated fatty acids, 135
Reduction, $NaBH_4$, acetylenic acids, 599
Retinol, chromatographic removal from lipofuscin pigments, 412
Retroconversion, metabolism of 20:3ω3 in rat brain, 689
Rhizopus arrhizus, phospholipase activity, assay, 553
Rosenmund-Kuhnhenn reagent, dtmn of unsaturation, 87
Ruminants, dietary "protected" PUFA, 662
—— "protected" cyclopropene fatty acids, effects on milk lipids, 705
—— triglyceride, fatty acid distribution, positional, dietary fat, 49

S

Saccharomyces cerevisiae. See Yeast
Safflower oil, sheep, adipose tissue, effect on lipogenesis, 662
Sciatic nerve, rat, lipid comp, 506
Sebaceous gland, human, capillary GLC, branched chain fatty acids, 781
Seminal vesicles, human, PGE_1 synthesis, 249
Serine, assay, 498
—— base exchange, rat liver phospholipids, 498
—— Ca^{2+} stimulated incorporation into rat brain PL, 823
—— phospholipid biosynthesis, rat liver, 498
Serum cholesterol, age related, Fisher 344 rats, 623
—— esters, incorporation by cultured cells, 97
Serum, equine, background density for lipoprotein ultracentrifugation, 752

Serum, human, background density for lipoprotein ultracentrifugation, 752
Serum lipids, alcohol induced lipemia, 526
Serum, rat, lipid levels, 167
—— effect of dietary saturated and dietary *trans* fatty acids, 272
—— effect of isoflavones, 243
Sheep, adipose, metabolism, effect of dietary fats, 662
—— triglyceride, fatty acid distribution, positional, dietary fat, 49
Silica gel, chemiluminescence during autoxidation of linolenic acid films, 472
Singlet oxygen, ozonolysis of isopropyl ether, 472
β-Sitosterol, plasma, man, animals, 581
Sitosterols, effect on rat serum and liver lipids, 167
Skin, rat, cholesterol, oral, IP administration, 610
Sleeping time, effect of dietary fats on hepatic mixed function oxidase, 736
Smelt, collection and fatty acid anal, 871
—— collection, lipid anal, 863
—— dietary source of odd chain-length fatty acids, 863
Sonication, extraction of yeast lipids, 821
Sound, velocity, in pilot whale melon, 153
Spadefish liver, *trans*-6-hexadecenoic acid, 247
Spectra, ^{13}C nuclear magnetic resonance, reaction product of α-tocopherol with methyl radical, 380
Spectra, electron paramagnetic resonance, N-methyl-γ-tocopheramine nitroxide, 296
Spectra, electron spin resonance, peroxidizing lipids with amino acids and proteins, 392
Spectra, emission, chemiluminescence of autoxidizing linolenic acid, 472
Spectra, fluorescence, lipofuscin pigments, 412
—— tocopherol, tocopherol anal, 530
Spectra, infrared, autoxidation products, 370
—— clofibrate analogs, 384
—— deuterated octadecenoic acids, 594
—— dimeric fatty acids, 763
—— fatty acid esters, maple seed oil, 157
—— kamala seed oil, ester content, 87
—— linoleic acid hydroperoxidethiol addition compounds, 127
—— mold lipids, 778
—— *cis*-octadecenoates, ^{14}C-labeled, 676
—— reaction product of α-tocopherol with methyl radical, 380
—— tirculla-7,24-dienol, 434
Spectra, mass, acetylenic, oxo-, hydroxy esters, GLC, 599
—— alcohols, long chain, 209
—— algal hydrocarbons, 258
—— algal sterols, 266
—— autoxidation products, 370
—— branched chain fatty acids, *Vernix caseosa,* 781
—— branched chain hydroxy fatty acids, 685
—— cholesterol, 209
—— deuterated octadecenoic acids, 594
—— dimeric fatty acids, 763
—— fatty acid esters, maple seed oil, 157
—— fatty acids, 209
—— linoleic acid hydroperoxide-thiol addition compounds, 127
—— methoxy alkanoates, 222
—— plant sterols, 581
—— reaction product of α-tocopherol with methyl radical, 380
—— TMSi glycolipids from LDL, 462
—— tirculla-7,24-dienol, 434
—— wax alcohols, 478
—— wax esier components, 816
Spectra, multiple ion mass, of deuterated fatty acids, 135
Spectra, nuclear magnetic resonance, autoxidation products, 370
—— clofibrate analogs, 384
—— deuterated octadecenoic acids, 594
—— dimeric fatty acids, 763
—— fatty acid esters, maple seed oil, 157
—— kamala seed oil, glycerides, 87
—— lanthanide-induced shifts of triterpene alcohols, 434
—— linoleic acid hydroperoxide-thiol addition compounds, 127
—— sterols, configuration, 118
Spectra, proton magnetic resonance, chemical shifts of triterpene alcohols, 434
—— tirculla-7,24-dienol, 434
Spectra, proton noise decoupled natural abundance ^{13}C Fourier transform nuclear magnetic resonance, reaction product of α-tocopherol with methyl radical, 380
Spectra, proton nuclear magnetic resonance, reaction product of α-tocopherol with methyl radical, 380
Spectra, ultraviolet, autoxidation products, 370
—— kamala seed oil, fatty acids, 87
—— reaction product of α-tocopherol with methyl radical, 380
Spectrometry, mass, double bond location, fatty acids, 222
Spectroscopy ^{13}C nuclear magnetic resonance, fatty acids, 228
Spectroscopy, mass, GC, branched chain acids, 72
Spheciospongia, vesparia. See Sponge
Spielmeyer-Sjogren neuronal ceroid lipofuscinosis, lysobiphosphatidic acid, brain, liver, 539
Spleen, mouse, Rauscher Leukemia Virus infection, 798
Sponge, fatty acid profile, 567
Spongia. See Sponge
Spongilla. See Sponge
Squalene, binding to brain and liver cytosol proteins, 645
—— biosynthesis, inhibition by di-2-ethylhexyl phthalate, 769
—— levels present in butter, egg yolk and sausage, 430
—— normal plasma levels in man, 430
—— in very low density lipoprotein, 430
Staphylococcus aureus. See Bacteria, gram-negative
Stelleta. See Sponge
Sterculic acid, effect of postnatal feeding on rat liver and brain lipid, 802
—— "protected", effect on milk lipid comp, 705
Stereospecific analysis, egg yolk PL, triglycerides, 676
—— triglycerides, ruminant, porcine, 49
Steroids, hydroxylation, liver microsomes, rabbit, monkey, man, 148
Sterol esters, extraction from yeast, 340
—— mosquito cell cultures, fatty acid profile, aging, 21
Sterol synthesis, azasterols and nitrogen-containing steroids, 755
—— diurnal variation in guinea pig, 281
—— guinea pig, intestine, liver, lung, 281
—— guinea pig liver, ileum, lung, feed back control, 571
—— measurement *in vitro,* 281
Sterols, algal lipids, 258, 266
—— biosynthesis, inhibition by di-2-ethylhexyl phthalate, 769
—— chromatography, column, thin-layer, 634
—— excretion, dietary polyunsaturated pork, 42
—— extraction from yeast, 340
—— metabolism, *O. malhamensis,* 634
—— yeast, 30 species, 837
Sterols, plant, GC-MS, 581
—— isolation, purification, TLC, column chromatography, 118
—— plasma, erythrocytes, human hyperlipemias, 581
—— plasma, erythrocytes, man, animals, 581
Stigmasterol, plasma, man, animals, 581
Stomach oils, lipids from 16 species of petrel, 423
Storage diseases, human, brain, liver, lysobiphosphatidic acid, 539
Stork, white, uropygial gland diester waxes, 816
Streptococcus faecalis. See Bacteria, gram-negative
Streptococcus pyrogenes. See Bacteria, gram-negative
Subcellular fractions, tocopherol content, 530
Suberites compacta. See Sponge
Sunflower seed oil, effect of dietary fats on drug metabolism, 736
Surfactant, lung, biosynthesis, 491
—— site of synthesis, 109
Swine, aorta, cell culture, anaerobic, lipid accumulation, 791
—— tissues, cholesterol, fatty acid biosynthesis, lipogenic enzymes, 34
—— triglyceride, fatty acid distribution, positional, dietary fat, 49

T

Tadpole, fatty acid profile, 291
Tallow, beef, effect of dietary fats on drug metabolism, 736
TBA-reactive materials, possible mechanism of formation, 370
TBA test, autoxidation of liposomes, 808
Tedania. See Sponge
Terpenic alcohols, algal lipids, 266
Testicular degeneration, rat, dietary fatty acids, 179
Testis, rat, cholesteryl ester synthesis and hydrolysis, 357
—— and essential fatty acid deficiency, 179
—— fatty acid profile, eicosa-5, 8, 11, 14-tetraynoic acid, 143
—— lipids, 179
Thermoascus aurantiacus. See Thermophilic fungi
Thermophilic fungi, phospholipid comp, fatty acid profile, 741
Thin-layer chromatography. See Chromatography, thin-layer
Thiobarbituric acid reactive materials, autoxidation of liposomes, 808
—— possible mechanism of formation, 370
Thiols, linoleic acid hydroperoxide addition, iron catalyzed, 127

Tirculla-7,24-dienol, isolation and characterization from tea seed oil, 434
Tissue culture, rat, 216
—— rat hepatoma, rabbit aorta, 97
Tissues, rat, cholesterol distribution, oral, IP administration, 610
Tocopheramines, antioxidant and vitamin E activity, 296
γ-Tocopheramine, N-methyl-, oxidation to nitroxide, 296
Tocopherol, assay, fluorometry, tissues, subcellular fractions, 530
—— autoxidative and photolytic stability, α, β, γ, δ, 853
—— chromatography, column, thin-layer, 530
α-Tocopherol, in plasma and liver of rabbits fed atherogenic diets, 449
—— scavenging reaction with methyl radical, 380
α-Tocopherol-5-d₃-Cl₃, synthesis from γ-tocopherol, 380
Tocopherol dimers, failure to decompose in GLC injection port, 853
Tocopheryl quinone, lack of formation during autoxidation, 853
Tocotrienols, autoxidative and photolytic stability, α, β, γ, δ, 853
Toxicity, di-2-ethylhexyl phthalate, 216
Tracheophytes, methyl, ethylcholesterols, configuration at C-24, 118
Transport, blood, rat, fatty alcohols, 587
Triglycerides, accumulation in anaerobic cell culture, 791
—— biosynthesis, perfused lung, 491
—— cetacean, proton magnetic resonance, 189
—— isovaleryl, proton magnetic resonance, 189
—— liver, mouse, human ovarian tumor transplant, 159
—— milk, gel filtration chromatography, 49
—— mosquito cell cultures, fatty acid profile, aging, 21
—— pilot whale, melon sound velocity, melon, 153
—— rat liver and serum, 167
—— ruminant, porcine, fatty acid distribution, positional, dietary fat, 49
—— stomach oils of 16 species of petrel, GLC, TLC, 423
—— structural anal, 189
—— tumors, octadecenoic acids, isomeric, 578
—— yeast lipid, 340
Triglycerides, plasma, analytical and physiological variation, 203
—— fatty acid distribution, positional, dietary polyunsaturated pork, 42
—— in man, dietary polyunsaturated pork, 42
Triglycerides serum, alcohol induced lipemia, 526
Triolein, absorption in progeny of protein-deficient rats, 652
Triterpene alcohols, PMR spectra of 5-α-euphane, 5-α-lanosterol, and 5-α-tircullane series, 434
—— tirculla-7,24-dienol from tea seed oil, 434
Triton WR1339, effect on very low density lipoprotein secretion, 517
—— induction of hyperlipemia in the rat, 384
—— inhibition of plasma LCAT, 517
—— VLDL, cholesterol, cholesterol ester ration, 517
Tryptophan, ESR spectra with peroxidizing lipid, 392
Tumors, and dietary fat, in rats, 328
—— human ovarian, liver lipid metabolism, mice, 159
Tumor lipids, octadecenoic acids, isomeric, 578
Turnover, free fatty acids in the mouse, 818
Twins, human, plasma lipid fatty acid variability, 722

U

Ultracentrifugation, plasma lipoproteins, 628
—— zonal, rat plasma lipoproteins, 517
Ultrafiltration, background density of equine and human serum, 752
Ultrasonic echo scanning, sound velocity, assay pilot whale melon, 153
Ultraviolet spectra. See Spectra, ultraviolet
Unsaturated fatty acids, trans, dietary, 179
Unsaturation, dtmn, kamala seed oil, Rosenmund-Kuhnhenn reagent, 87
Urea adducts, isolation, branched chain acids, 72
Uropygial gland; diester waxes, white stork, 816

V

Vaccenic acid, tumor lipids, 578
Vernix caseosa, branched chain fatty acids, capillary GLC, 781
Vesicles, human seminal, PGE_1 synthesis, 249
Virus, Rauscher Leukemia, mouse spleen infection, 798
Vitamin E, activity, tocopheramines, 296
—— in plasma and liver of rabbits fed atherogenic diets, 449
—— scavenging reaction with methyl radical, 380

W

Wax, barley, alkan-1-ols and alkan-2-ols, 478
—— diester, stork uropygial gland, 816
Wax esters, GLC, unsaturated, 354
—— pilot whale, melon, 153
—— stomach oils of 16 species of petrel, GLC, TLC, 423
—— transport of fatty alcohols, 587
Whale, pilot, lipid comp, sound velocity, melon, 153
—— sperm, wax esters, 354

X

Xestospongia. See Sponge
Xytopsene. See Sponge

Y

Yeast, cell culture, 340
—— growth inhibition by nitrogen containing sterols, 755
—— lipid content, NL and PL comp, 30 species, 837
—— lipid extraction, 340, 812
Yellow clam, See Clam, yellow
^{91}Yttrium, nonabsorbed reference marker in intestine, 467

Z

Zooplankton, 18:5ω3, capillary GLC, 858